

DIPLOMARBEIT / DIPLOMA THESIS

Titel der Diplomarbeit / Title of the Diploma Thesis

"Visualisierungen in der Teilchenphysik – Lernhilfe oder -hemmnis?"

verfasst von / submitted by Sarah Maria Zöchling

angestrebter akademischer Grad / in partial fulfilment of the requirements for the degree of Magistra der Naturwissenschaften (Mag. rer. nat.)

Wien, 2019 / Vienna, 2019

Studienkennzahl It. Studienblatt / degree programme code as it appears on the student record sheet:

Studienrichtung It. Studienblatt / degree programme as it appears on the student record sheet:

Betreut von / Supervisor:

A 190 338 412

Lehramtsstudium UF Latein UF Physik

Univ.-Prof. Dr. Martin Hopf

ACKNOWLEDGEMENTS

Above all, I would like to thank my supervisor, Univ.-Prof. Dr. Martin Hopf, for his support and the fascination and knowledge about physics he shared with me. I am grateful for his positive impact on my life, since he aroused my interest in physics education research and gave me the opportunity to gain initial experience in this field at the University of Vienna. Moreover, he showed confidence in me to conduct the research for this thesis at CERN which was an amazing and valuable scientific experience.

Besides, I gratefully acknowledge my colleagues from the physics education research group at CERN, without whose help this work would never have been possible. In especial, I would like to thank Alexandra Jansky for her great co-supervision and constant support. Furthermore, I am really grateful to Julia Woithe for her help, suggestions and valuable discussions and Anja Kranjc Horvat for being my interrater. I would also like to thank Irtaza Syed for editing the video, Jeff Wiener for lending me the international teachers, and Oliver Keller for sharing his poster at the GDCP with me.

Special thanks are also due to all students and teachers who participated in my survey for their time and effort.

I am particularly grateful to my fellow students at CERN for making the Summer Student Programme an enriching and unforgettable personal experience.

Finally, I would like to thank my family, especially my mother, and my friends for their support throughout my studies and for brightening up my life.

ABSTRACT

In education context "competency" is an increasingly popular term. According to Eriksson et al. (2014) it can be defined as knowing "what to focus on in a given situation and how to interpret it in an appropriate, disciplinary manner" (p.168). In teaching particle physics various visualizations are used to illustrate abstract concepts, but little is known on what learners discern from such representations, even though everyday conceptions may be barriers to disciplinary discernment [7]. This diploma thesis is a report on a study involving the discernment of students and teachers. In total 174 participants with various backgrounds participated in a survey about two different visualizations concerning particle physics. A video about the structure of matter and a representation of a measurement with a pixel detector and corresponding user interface were analyzed. The study approach was interpretive-hermeneutic and category-based. The reference categories were the five Levels of Discernment which had been introduced for an astronomical representation in form of the Anatomy of Disciplinary Discernment (ADD) by Eriksson et al. (2014). There are two main analytical outcomes: Firstly, the conclusions of the study correspond to the ADD. This means that it is also valid for visualizations in particle physics. Secondly, the participants answers were used to give recommendations to improve the analyzed visualizations.

ABSTRACT IN GERMAN

Im Bildungskontext wird der Begriff "Kompetenz" immer populärer. Er beinhaltet zwei Aspekte: Kompetent ist jemand, der seinen Fokus auf das Wesentliche richtet und das Wahrgenommene auch auf wissenschaftlich angemessene Weise interpretiert [7]. Im Bereich der Teilchenphysik werden verschiedene Visualisierungen verwendet, um abstrakte Konzepte im Unterricht zu veranschaulichen. Doch was Lernende von solchen Repräsentationen wahrnehmen, wurde bisher noch nicht ausreichend untersucht. Dass es einer derartigen physikdidaktischen Forschung bedarf, ist auf Alltagskonzepte zurückzuführen, die Hindernisse für wissenschaftlich angemessene Wahrnehmung darstellen können. Im Rahmen der vorliegenden Diplomarbeit wurde eine Studie durchgeführt, die sich mit der Wahrnehmung von Schüler*innen, Studierenden und Lehrenden beschäftigt. Insgesamt nahmen 174 Teilnehmer*innen unterschiedlicher Bildungshintergründe an einer Umfrage über zwei verschiedene Visualisierungen im Bereich der Teilchenphysik teil. Zum einen wurde ein Video über den Aufbau der Materie und zum anderen die Repräsentation einer Messung mit einem Pixeldetektor und zugehöriger Benutzeroberfläche analysiert. Es handelte sich um eine qualitative Studie mit hermeneutisch-interpretativem Ansatz. Die Analyse erfolgte auf Basis von Kategorien, wobei die fünf Levels of Discernment als Vorbild herangezogen wurden. Diese waren in Form der Anatomy of Disciplinary Discernment von Eriksson et al. (2014) eingeführt worden. Es gibt zwei Hauptresultate der Studie: Einerseits entsprechen die analytischen Ergebnisse der Anatomy of Disciplinary Discernment, was verdeutlicht, dass dieses Modell auch auf Repräsentationen in der Teilchenphysik angewandt werden kann. Andererseits wurden die Antworten der Studienteilnehmer*innen verwendet, um Empfehlungen zur Verbesserung der analysierten Visualisierungen zu formulieren.

CONTENTS

0.	INTRODUC	TION	9
1	Turopra	AL DA CKOPOUND	11
		AL BACKGROUND	
1.		rners	
	1. A. 1.	Preconceptions	
	1. A. 2.	Discernment	
Ι.	•	presentations	
	1. B. 1.	Types of representations	
	1. B. 2. 1. B. 3.	Multiple representations	
1		ation between learners and representations	
١,	1. C. 1.	Modality and multimodality	
	1. C. 1. 1. C. 2.	Multimedia learning	
	1. C. 3.	Discernment versus affordances	
	1. C. 4.	Recommendations for enhancing learning possibilities	
1.		ticle physics	
	1. D. 1.	Standard Model	
	1. D. 2.	Interaction between particles and matter	
1.	E. Par	ticle physics in school	
	1. E. 1.	Introducing the Standard Model of particle physics	
	1. E. 2.	Semiconducting materials as particle detectors	
2.	RESEARCH	INTEREST	
3.	ANALYZED	REPRESENTATIONS	
3	A Vide	eo	30
0.	3. A. 1.	Selection process	
	3. A. 2.	Video "Voyage into the world of atoms"	
3.	B. Rep	presentation of a measurement	
	·		
4.	M ETHODO	LOGY	43
1	A. Stud	dy approach	43
		a collection	
т.	4. B. 1.	Choice of method	
		Development of the questionnaire	
		Data collection process	
4.		a analysis	
	4. C. 1.	Category-based approach	
	4. C. 2.	Rules for coding	51
	4. C. 3.	Coding process	52
	4. C. 4.	Statistical analysis	52
_	_		
5.	PARTICIPA	NTS	53
6.	QUALITY IS	SUES	55
6.	A. Intro	oduction to quality issues	55
٠.	6. A. 1.	Reliability	
	6. A. 2.	Validity	
	6. A. 3.		57

6. B. Qu	uality control in this study	58
6. B. 1.	Reliability	58
6. B. 2.	Validity	59
6. B. 3.	Objectivity versus bias	63
7. ANALYSI	s	66
7. A. Vi	deo "Voyage into the world of atoms"	66
7. A. 1.	Initial approach	
7. A. 2.	Construction of content categories	68
7. A. 3.	Definition of analysis categories	
7. A. 4.	Categorization of statements	71
7. A. 5.	Results	
7. A. 6.	Recommendations for improvement	
7. B. Us	er interface "Pixelman"	
7. B. 1.	Construction of content categories	80
7. B. 2.	Definition of analysis categories	82
7. B. 3.	Recognition as representation of a measurement	83
7. B. 4.	Categorization of statements	85
7. B. 5.	Results	86
7. B. 6.	Recommendations for improvement	88
B. CONCLU	SIONS	89
9. Referenc	CES	90
	urces	
9. B. Lit	erature	90
10. APPENDI	x	94
10. A. Qı	Jestionnaire	94
10. A. 1.	Initial draft of the questionnaire (German)	94
	Final version of the questionnaire (German)	
10. A. 3.	• ' '	
10. B. Int	errater data table	
10. B. 1.		
10. B. 2.	User interface "Pixelman"	

0. Introduction

νομίζεται μὲν εἶναι καὶ δοξάζεται τὰ αίσθητά, ούκ ἔστι δὲ κατ΄ άλήθειαν ταῦτα, άλλὰ τὰ ἄτομα μόνον καὶ τὸ κενόν. ([13], p. 378)

One accepts and believes that the perceived objects exist in truth. Nonetheless, these do not really exist, but only the atoms and the empty space.

In ancient Greece natural philosophers have already though about the particular nature of matter. Leucippus and his student Democritus were the first to claim that matter is not continuous, but rather made up of " $\Hat{\alpha}\tau o\mu \alpha$ ", undividable constituents, and " $\kappa \epsilon \nu \acute{o}\nu$ ", empty space, in between as cited above.

2500 years later the assertions are similar, even though they have been slightly changed as a result of intense research. What is referred to as "atom" nowadays, is not the smallest possible unit. It rather is made up of the elementary particles as described in the Standard Model. However, this current way of thinking is very likely to be just one step of a large stairway. The composition of the universe evokes fascination, which connects the past with the future. Scientists from all over the world are currently elaborating different possibilities to extend the research conducted at the Large Hadron Collider (LHC), the world's largest and most powerful particle accelerator hosted by CERN. In this respect it is important to emphasize that research in particle physics does not end in itself but has a great impact on modern life. Technologies developed by scientists at CERN have various applications in medicine, e.g. contributions to cancer therapy, in telecommunication, e.g. development of the World Wide Web, and many others. In short, the fundamental principles of particle physics as well as their applications are worth learning.

Thus, there is the Physics Education Research facility "S'Cool LAB" on-site at CERN. High school students and teachers are invited to contribute to research projects by taking part in hands-on and minds-on particle physics experiments. In the framework of S'Cool LAB's learning activities and CERN's outreach efforts, many visualizations are produced to illustrate the abstract concepts of particle physics. However, although everyday conceptions may be barriers to disciplinary discernment, little is known on what learners discern from such visualization in particle physics. In contrast, discernment from visualizations in astronomy has recently been investigated by Eriksson et al. (2014) who introduced five Levels of Discernment in form of the Anatomy of Disciplinary Discernment (ADD).

The subject of this diploma thesis is, what students and teachers discern, when they engage with visualizations in particle physics. To answer this question, a qualitative study examining and

evaluating a video about the structure of matter and the representation of a measurement with a pixel detector and corresponding user interface was planned and performed. The analysis was based on the five above-mentioned *Levels of Discernment* and resulted in recommendations for improving the analyzed representations.

This thesis is a report on the investigation process from the initial engagement with theoretical literature to the final analysis of the collected data. It is structured as follows:

Chapter 1 provides an overview of the literature encompassing learners and their discernment, representations and their affordances, as well as the relation between both aspects. Furthermore, a brief introduction to the content knowledge of particle physics is given.

In **chapter 2** the main research questions are outlined.

The analyzed representations are described in **chapter 3**. Their style and affordances in terms of particle physics as well as their applications at CERN are addressed.

Chapter 4 gives an overview of the methodology of the study. This encompasses the study approach, the data collection process including development and administering of the questionnaire, and the analysis approach.

Acquisition and specific characteristics of the different groups of participants are presented in **chapter 5**.

Chapter 6 focuses on quality issues and their implementation in the study. Furthermore, problems regarding reliability, validity, and bias in this study are discussed.

The analysis of the collected data is described separately for both visualizations in **chapter 7**. To enable the repeatability of the study, the content and analysis categories are defined and examples for each category are provided. Moreover, the results of the analysis are presented and interpreted and recommendations for improving the analyzed representations are given.

In **chapter 8** conclusions are drawn.

Sources and literature are listed in chapter 9.

Finally, the questionnaire in its initial and final version is appended in **chapter 10.** The appendix also contains a table that illustrates the interrater reliability.

1. THEORETICAL BACKGROUND

The overall aim of teaching is to transfer knowledge to learners. Media are means of knowledge transfer, and thus help to reach learning goals [16]. The term "medium" comprises a variety of means for teaching practice [16]. In the broadest sense the teacher is a medium as well [16]. However, in this thesis the term "medium" refers to non-personal means for knowledge transfer [16]. Media didactics is concerned with teaching by means of media and aims to provide a theoretical background as well as to recommend implementation possibilities [16]. It must not be confused with media education which itself is a teaching subject and intends to foster a reflective use of media [16]. In the following I engage with media according to media didactics.

When evaluating the potential of knowledge transfer intended by a certain sender (e.g., a teacher), the focus must be on the learners as receiver, the knowledge as message, and the representation as medium (see FIGURE 1). This chapter is divided into four subchapters: learners, representations, relation between learners and representations, and content knowledge of particle physics.

1. A. Learners

Learners constitute the receivers of the knowledge transferred through the representation as a medium. Concerning the learners, there are two important aspects, which need to be considered: preconceptions and discernment.



FIGURE 1: The teacher as sender wants to transfer a message, i.e. disciplinary knowledge, via a representation as medium to the learners as receiver.

1. A. 1. Preconceptions

Firstly, learners have diverse everyday conceptions, which are termed "preconceptions", before they engage with disciplinary representations. As these preconceptions tend to be inaccurate from a physics point of view, learners need to overcome them to achieve disciplinary knowledge. When teaching a specific topic, one needs to be aware of corresponding preconceptions. In the following the most common concerning particles, quantum objects and radiation are listed, since these topics relate to the visualizations analyzed in this thesis.

1. A. 1. 1. Preconceptions about particles

- Macroscopic characteristics: In general, learners tend to attribute macroscopic, everyday characteristics to elementary particles, e.g. color and shape [5]. Furthermore, they believe that elementary particles expand in case of temperature increase, and thereby the macroscopic object expands [9]. The preconception of macroscopic characteristics is also intensified by misleading teaching methods [9]. E.g., a common way of introducing the particular nature of matter is using the fragmentation principle [9]: At first, a macroscopic object (e.g., a sugar cube) is really divided into finer and finer fragments and then theoretically [9]. If learners follow this path, they are more likely to transfer properties of visible objects to submicroscopic particles [9].
- Continuous versus particular nature of matter: Furthermore, learners use a continuous rather than a particle model of matter for explaining everyday physics phenomena, unless it is offered as a reasonable explanation [36]. Then, most of them accept and use the particle model, although the acceptance varies for different age groups [36]. This means that middle school students are less likely to accept it compared to high-school students [36].
- Empty space: After introduction of the particle model, some learners tend to add it to their previous continuous model [36]. Misleading representations in school-books reinforce this preconception (e.g., the representation of a glass filled with 'water' and H₂O-molecules) [36]. Therefore, learners struggle to believe that there is nothing between the particles and they do not accept the concept of empty space [36]. They rather believe that 'air' is between the particles of every solid or gaseous material, even between the air molecules themselves, or 'water' between H₂O molecules as mentioned above [5, 31]. Misleading wordings also reinforce these preconceptions (e.g., "Molecules are 'inside' the water." or "Quarks are 'inside' the proton.") [9]. Instead the wording "is made up of" should be used when talking about the composition of matter [9].
- Constant motion: In addition, the movement from the everyday concept of rest to the concept of constant motion of particles is challenging for learners [5]. They rather believe that after a while particles stop moving like macroscopic objects do [9].
- Models versus reality: Learners want to know how matter is composed in reality and are not satisfied with the model aspect of particle physics [9]. This attitude constitutes a learning obstacle, since models of the reality are the only way, in which one can talk about particle and quantum physics [25].

- Planetary model of the atom: The planetary model is the most common preconception about the structure of atoms [25]. In this model electrons are locatable all the time and move around the nucleus along circular paths, between which they can 'jump' by emitting or absorbing energy in form of a photon [25]. Learners neglect that electrons on circular paths are accelerated and would emit energy all the time [25].
- Electron clouds, shells, and orbitals: Besides the planetary model there are other common preconceptions. According to the cloud model, the atom is composed of a nucleus and a static electron cloud, i.e. the electron is thought of as 'smeared object' [25]. Some learners think that the atom is made up of thick continuous or thin outer shells, within which one cannot tell where the electron is [25]. The orbital model describes where the electrons are approximately locatable [25]. Often learners use various models simultaneously [25].

1. A. 1. 2. Preconceptions about quantum objects

- Mass as most important property: Learners take the mass of classical objects as its
 most important physical quantity and transfer this way of thinking to quantum objects [37]. Thus, they think that quantum objects can mainly be considered as particles because of their mass [37].
- **Permanent location property:** Learners tend to assign a location to particles all the time [37]. They only think that it may be difficult to measure the location (e.g., because the particles move too fast, due to the wave-particle-duality or the uncertainty principle) [37].
- Particle and wave properties simultaneously: A quantum object is as particle permanently locatable and at the same time surrounded by a wave which causes interference phenomena [37]. Besides, learners think that an electron, which makes up an atom, sits on a wave, and thereby moves up and down [25].

1. A. 1. 3. Preconceptions about ionizing radiation

- Radioactivity is man-made: Learners think that radioactivity is artificial and man-made [20]. It even goes as far as to consider any technical device or industry as radioactive source [20]. Furthermore, they neglect that we are surrounded by nat-ural radioactive sources (e.g., in air or rock) and ionizing radiation in form of cosmic radiation all the time [20].
- Radiation is dangerous: Ionizing radiation (particle and electromagnetic radiation) is always dangerous from a learner's point of view [20]. It is only considered as less

dangerous, if it is useful (e.g., X-rays used for medical purposes) [20]. Sometimes a dose argumentation is used, namely that radiation is not dangerous until a certain dose is exceeded [20]. Furthermore, the preconceptions of artificiality and danger are combined and hence, learners believe that any technical device or industry is a source of dangerous radiation [20].

Radioactive radiation: "Radioactive radiation" is a common but misleading short-ening for "ionizing radiation from radioactive materials" [20]. Thus, learners mix up the process of emitting radiation, radioactivity, with the ionizing radiation that is emitted [20]. Radiation is accordingly taken for the transportation of radioactive material [20].

1. A. 2. Discernment

Secondly, discernment is intertwined with the learner, as it is a combination of noticing something and reflecting on it [7]. Thereby meaning is constructed from a representation, which is part of the learning process [6].

Concerning visualizations, the most compelling aspects of the represented objects are very likely to attract most of the learners' attention so that other important issues may not be dis-

Disciplinary Evaluation

Critique of the affordances of the representation

Disciplinary Appreciation

Acknowledge the value of the affordances of the representation

Disciplinary Explanation

Assign disciplinary meaning – begin to 'discover' the affordances of the representation

Disciplinary Identification

Naming, recognizing salient disciplinary objects

Non-disciplinary Discernment Pre-entry level

FIGURE 2: Anatomy of Disciplinary Discernment introduced by Eriksson et al. (2014a)

cerned [6]. Another factor must be considered when talking about discernment from visualizations: Many important aspects are not explicitly present and can therefore not be discerned immediately [6].

How the intended meaning of a representation may be discerned, is described by the Anatomy of Disciplinary Discernment (ADD), which was introduced by Eriksson et al. (2014) for an astronomical representation. Eriksson figured out that different people discern different aspects of the same representation since

disciplinary discernment is dependent on experiences, knowledge, and educational background [7]. Thereby more attention is paid to disciplinary characteristics of a representation as the educational level increases [7]. As shown in FIGURE 2 there are five levels of discernment according to the ADD.

1. A. 2. 1. Non-disciplinary Discernment

The lowest level of the ADD is *Non-disciplinary Discernment*. Learners who are on this level mainly wonder what they notice without being able to identify what they see [7].

1. A. 2. 2. Disciplinary Identification

The first level of disciplinary discernment is *Identification*. In this category learners can recognize and name salient disciplinary objects, and therefore they tend to use phrases like 'That is ...' [7].

1. A. 2. 3. Disciplinary Explanation

On the level of *Disciplinary Explanation* learners explain and interpret, why the objects are represented in a particular way using their disciplinary knowledge [7].

1. A. 2. 4. Disciplinary Appreciation

The level of *Disciplinary Appreciation* involves "analyzing and acknowledging the value of the disciplinary affordances of the representation" ([7], p.174).

1. A. 2. 5. Disciplinary Evaluation

The highest level of the ADD is *Disciplinary Evaluation*. Persons on this level analyze as well as criticize the representation due to their disciplinary knowledge [7]. In addition, "some of the descriptions in this category also include aspects related to using such a resource in the teaching practice of the discipline" ([7], p. 174f).

1. B. Representations

In general, one can distinguish between internal and external representations. The former means the mental model built by a learner regarding a certain learning content, whereas the latter includes texts, graphs or pictures [28]. Indeed, the way an empirical property is represented externally can have an impact on the internal representation built by the learner [16]. But the imaging process is complex and prone to error, since it is affected by the learner's individual perception and prior knowledge (see chapter 1. C. 2.) [16]. However, in the following the term "representation" only refers to external representations.

According to Kress et al. (2014) "representation focuses on what the individual wishes to represent about the thing represented" (p. 3). When teaching, representations are intended to be media to provide access to disciplinary knowledge for learners. There are various approaches to categorize media as described by Girwidz (2015a):

One can categorize media according to technical aspects [16]. In this respect, there is a distinction between *pre-technical* (e.g., book or chalkboard) and *technical media* (e.g., television set or radio) [16].

Furthermore, media can be classified according to cognitive psychology [16]. The corresponding categories refer to the senses that are addressed by the medium [16]. Thus, there are visual, auditive, audiovisual, and haptic media [16].

Finally, they can be categorized according to methodical aspects because there are various ways to imply them in a teaching unit [16]. E.g., a text can be read in plenum, discussed




FIGURE 3: Examples for **semiotic resources** and how they are related to the disciplinary ways of knowing (after [5], p. 127)

after it has been read individually or the learners can write a summary [16]. This methodical categorization is essential, since the way a medium is implied in the learning process is clinching for learning to take place [16].

However, as mentioned above to communicate within or outside the discipline representations are used as media. There are various semiotic resources which representations are made up of [6]. FIGURE 3 shows examples for semiotic resources and how they are related to the disciplinary ways of knowing. In this regard, it is important to note that the process of creating a representation is also referred to as coding [16].

Furthermore, two important aspects regarding representations need to be considered: There are several types of representations as well as various affordances of each representation.

1. B. 1. Types of representations

As mentioned above there are several types of representations with specific benefits and draw-backs in terms of knowledge transfer. In literature one can find various approaches to categorize them (see [1]).

In chemistry three types of representations are distinguished, which are also relevant in context of particle physics: macro, submicro and symbolic [28]. This is similar to the definition of Girwidz (2015a) who distinguishes between pictorial, analog and logical image [16].

Representations of the first type show the empirical properties in a phenomenological way [28]. E.g., a photo or drawing shows the visual appearance of an object [16],

The submicro or analog type is used to illustrate not directly visible structures [16]. Thus, it involves models depicting "the (assumed) arrangement of entities, such as atom or molecule models" ([28], p. 2). Analog images comprise structural (e.g., atom models) or functional analogies (e.g., electron drift as depiction of electric current in metal materials) [16]. In general, using analogies is fraught with pitfalls, since they may cause misinterpretations [16].

The last type of representations means that empirical properties are depicted by symbols, e.g. linguistic simplifications like 'H₂O' [28]. It also comprises diagrams, charts and graphics which aim to visualize data and functional relationships [16]. Since symbolic or logical representations are highly schematic and abstract, codes are used according to convention [16]. To avoid cognitive overload learners must know the system of symbols used, before they engage with such a representation [16].

In the following I will address visual and textual representations in more detail.

1. B. 1. 1. Visualizations

Visual representations are named visualizations. They are characterized in different ways. Firstly, one may define everything discerned through visual sense including algebraic notations, formulas, letters or even written text as visualizations [10]. Secondly, visual representations excluding linguistic information may be meant when talking about visualizations [10]. In this paper the latter definition is used.

A visualization provides all information it contains simultaneously [16]. In the context of teaching and learning, visualizations have various functions as described by Girwidz (2015a). In general, visualization means that information is coded in such a way that learners can picture it [16]. Using imagery is supposed to make empirical properties easier to memorize and to help learners to build mental models [16].

1. B. 1. 2. Texts

Texts are verbal representations of information. Like visualizations they are used to foster reflection and associations [16]. Indeed, some problems of image-processing can also be referred to texts [16]. In contrary to a visualization, a text provides all information it contains sequential [16]. However, there are several recommendations for writing a comprehensible text (e.g., simple sentences, structure and conciseness) [16].

1. B. 2. Multiple representations

In teaching physics, "more than only one representational format is often used to convey information and support knowledge construction" ([28], p.2). When two or more representations are used simultaneously, one can speak of a multiple external representation (MER) [28]. They

are also referred to as "multi-coded" (cf. [18], p. 845f). Multiple representations are important and particularly foster learning, since information-processing depends on the implied codes, especially at the beginning [18].

1. B. 2. 1. Visualization-text-combinations

Usually visualizations and texts are combined. The former can be "static (e.g., illustrations, graphs, charts, photos, or maps) or dynamic (e.g., animation, video, or interactive illustrations)" ([24], p. 43). The latter can be written "(e.g., on-screen text) or spoken (e.g., narration)" ([24], p. 43). Learning from such combinations is also referred to as Multimedia Learning (see chapter 1. C. 2.) [24].

1. B. 2. 2. Other combinations

Ainsworth (2006) introduced the DeFT (Design, Functions, Tasks) taxonomy in which every kind of combination of representations is considered, e.g. combination of a mathematical equation and a table [28]. According to this concept, "multiple representations support comprehension, when they either contain qualitatively different aspects of the information to be learned, or when they convey the same information but in different ways" ([28], p. 9).

1. B. 3. Affordances of representations

The affordances of a representation acting as medium are its potentials for communication [11]. A single representation may have various affordances as different persons discern different aspects. As the concept of affordance focuses on the mutuality of object and subject, it is suitable for analyzing the use and effect of media [40]. Therefore, the focus must be on these affordances not only when developing but also when evaluating a certain representation.

1. B. 4. 1. Development of the term affordance

The term affordance was introduced by the psychologist **Gibson** (1977) and is etymologically related to the verb "to afford". Gibson defined it as follows:

"The affordances of the environment are what it offers the animal, what it provides or furnishes, either for good or ill. [...] The noun affordance [...] refers to both the environment and the animal in a way that no existing term does. It implies the complementarity of the animal and the environment." ([15], p.127)

Gibson argues that even though an affordance comprises physical properties taken in respect of a certain animal, it is independent of that animal [14]. This is since it is neither a value nor a meaning which depends on the observer but real and invariant [14]. Nonetheless, it is not an objective property of a thing as it must be measured relative to the animal [14]. Despite this relation to its observer, affordance is not subjective either

[14]. It rather is a combination of both as it overcomes the opposition of subject and object [14]. Therefore, the term affordance involves that subjects like animals or human beings perceive objects in their environment according to their physical background, i.e. their possibilities for action [40]. In addition, Gibson supports the principle of direct perception of affordances, i.e. there is no need to draw cognitive conclusions when perceiving affordances [40]. E.g. an apple affords eating, whether or not being hungry. Summing up, Gibson defines affordance as the possibilities of a certain subject for action afforded by an object. One problem associated with this definition is that quantifying affordances of a single object is impossible [4].

In contrast to Gibson, **Norman** (1988) was interested in the design aspect of things. Therefore, when talking about affordances, he focuses on the visible possibilities of using an object [40] and defined it as follows:

"[T]he term affordance refers to the perceived and actual properties of the thing, primarily those fundamental properties that determine just how the thing could possibly be used. [...] Affordances provide strong clues to the operations of things. [...] When affordances are taken advantage of, the user knows what to do just by looking: no picture, label, or instruction needed." ([26], p. 9)

One problem associated with this definition is that affordance is dependent on the individual and the context and therefore not generalizable [4]. Norman slightly changed his definition of affordance in a revised edition of his book. In the new edition he distinguished between affordances, perceived affordances and signifiers. The first indicate what actions are possible, even though not all of them may be perceived [27]. The last signify where or how the action should take place, i.e. the appropriate behavior [27]. Perceived affordances may be signifiers themselves, but they are often ambiguous in contrast to signifiers which need to define actions clearly [27]. The step from the perception of an affordance to understanding the potential action may be influenced by cultural convention [27]. E.g. a doorknob affords opening or shutting a door but fixed on a wall it has different affordances like being a support [27].

1. B. 4. 2. Affordances in the context of education

In education context communication is mainly about sharing knowledge. However, it is important to distinguish between disciplinary and pedagogical affordance. The former refers to what a medium affords to members of the discipline and the latter to what it affords to learners.

The term disciplinary affordance was introduced by Fredlund et al. (2012) and defined

"[...] as the inherent potential of that representation to provide access to disciplinary knowledge. Thus, it is these disciplinary affordances that enable certain representations to become legitimate within a discipline such as physics." (p. 658)

This definition of affordance strongly differs from the above-mentioned ones by Gibson and Norman, since it "focuses on the discipline's collective, agreed interpretation of the resource rather than the individual learner's experience" ([3], p.12). Fredlund et al. (2012) state that "Physics learning [...] involves coming to appreciate the disciplinary affordances of representations" (p. 658). Indeed, learners may be overwhelmed by the high number of disciplinary affordances of a certain representation used within the discipline [3]. Therefore, they "cannot deal unaided with the dense disciplinary affordances of disciplinary-specific semiotic resources" ([3], p.25). Learners rather need representations that function as bridges to the discipline by supporting meaning-making processes [3].

Thus, Airey (2015) introduced the term **pedagogical affordance** and defined it as "the aptness of a semiotic resource for teaching some particular educational content" (p. 18).

According to Airey (2017) semiotic resources with pedagogical affordance have three main characteristics:

- 1) Firstly, they show less information to reduce the cognitive load [3].
- 2) Often, they are less abstract [3]. Accordingly, Rundgren and Tibell (2009) recommend "the use of less stylized, less schematic, and (hence) more realistic" (p. 225) resources.
- 3) Usually, their usability in the daily work of the discipline is limited [3].

These characteristics result in an indirect relation between disciplinary and pedagogical affordance of representations, i.e. the higher the disciplinary affordance, the lower is the pedagogical one as shown in FIGURE 4 [2].




FIGURE 4: Relationship between **disciplinary** and **pedagogical** affordance

When evaluating the disciplinary affordance of a certain representation the focus is on how useful a representation is for disciplinary purposes, e.g. research, whereas it is on the usefulness for teaching purposes, when evaluating the pedagogical affordance [2]. However, disciplinary and pedagogical affordance are not inevitably each other's opposite. Moreover, according to Airey et al. (2014)

"appropriate disciplinary learning <is> only possible when there is a match between: what a given semiotic resource affords to the student (cf. Gibson & Norman) and its disciplinary affordance (i.e. what it affords for the discipline)" (p. 27).

1. C. Relation between learners and representations

This chapter is about the relation between learners and representations. At first, I describe how learners perceive representations through senses, which is referred to as *(multi-)modality*. Then, the focus is on learning from multimodal representations, which is also called *multimedia learning*. Furthermore, I explain why the intended affordances of a representation and the participants' discernment are very likely to be different. Finally, recommendations to enhance learning possibilities from representations are given.

1. C. 1. Modality and multimodality

"[M]edia of communication are shaped and organized by a culture into a range of meaning-making systems, modes" ([22], p. 11). The traditional approach to communication and representation focused on the medium of language and can therefore be referred to as "monomodal" ([22], p. 2). "[T]he differentiation of speech and writing as distinct modes was not an insight of the monomodal approach" ([22], p. 2).

In context of psychology modality means perception through senses, i.e. sight, hearing, smell, touch and taste [4]. In addition, in linguistics even written language is defined as a mode and distinguished from extra-linguistic materials (e.g., pictures) [4].

In contrary to the above-mentioned monomodal approach, Kress et al. (2014) state that "communication is inevitably multimodal" (p. 3). Multimodal systems address more than one sense [17]. The theory of multimodality, which is concerned with communication and social semiotics, is "interested in the different communication potential of modes" ([4], p. 12). This means that the concept of affordance can be adapted to modes as done by Kress et al. (2014). In this regard the focus is shifted from a particular representation to a mode in general [4]. Nevertheless, this approach is fraught with pitfalls because "semiotic resources within the same mode can have different affordances" ([4], p. 23). Therefore, when talking about disciplinary and pedagogical affordances in this thesis, the affordances of a particular representation are meant [4].

1. C. 2. Multimedia learning

The above-mentioned modes also apply for educational contexts. Learning from multimodal systems means learning from more than one mode and is referred to as *multimedia learning* [18]. In this regard "each mode contributes to teaching and learning as *multimodal accomplishments* in specific ways" ([22], p. 10). In the most common case multiple external representations used for teaching purposes are multimodal systems because they can elucidate different aspects of a content and explain how these aspects are related to each other [18]. Since most of the multimodal systems are visualization-text-combinations, the focus of cognitive psychology is on how input from visual and auditory mode are processed in human mind [4]. Mayer and Moreno (2003) introduced three assumptions concerning the function principle of information-processing in human mind, which are as follows:

The first one is the *dual channel assumption* which says that information is processed in two separate channels, i.e. a visual or pictorial channel and a verbal or auditory channel [24]. When visualization and text are combined, information is processed in both channels [28]. This assumption is also referred to as *Dual Coding Theory* [24].

The limited capacity assumption states that "[s]imilar to the overall capacity of working memory, both channels are assumed to be limited regarding the amount of information they can process at a time and in parallel" ([28], p.5). Therefore, Cognitive Load Theory recommends using both channels simultaneously to avoid overloading only one of them [28].

Finally, the active processing assumption says that "meaningful learning requires a substantial amount of cognitive processing to take place in the verbal and visual channels" ([24], p. 44).




FIGURE 5: **Cognitive Theory of Multimedia Learning** according to Mayer and Moreno (2003) (reprinted from [18], p. 848)

How these assumptions are related to each other is shown in FIGURE 5.

According to the *dual channel assumption* the image consists of two rows representing the two channels [24]. Words can be perceived in two ways: Spoken words are perceived through the ears, whereas written ones are perceived through the eyes as shown in FIGURE 5 [24]. The sensory memory saves information only up to 2 seconds [16].

A selection of perceived words and images is further processed in working memory, where the actual learning happens [24]. To the working memory the *limited capacity assumption* applies [24]. There are three different types of cognitive load, i.e. extraneous, intrinsic and germane cognitive load [18]. The first one refers to the way information is represented [18]. If a learner is not familiar with the code, extraneous cognitive load is high, and thus no capacity for the actual learning process is left [18]. Intrinsic cognitive load is caused by the complexity of the information in relation to the prior knowledge of a learner [18]. Germane cognitive load means the cognitive activity, which is caused by the actual learning process [18]. According to Cognitive Load Theory learning is only possible, if, besides extraneous and intrinsic cognitive load, capacity of the working memory is left for the germane one [18].

In general, only a maximum of 7 information units, which can be present for about 20 seconds, are processed in the working memory [16]. These learning units, which are referred to as "chunks", are subjective and dependent on prior knowledge [16]. The prior knowledge is integrated from the long-term memory [24].

In FIGURE 5 the active processing assumption is represented by the arrows that say "organizing" or "selecting" and "integrating", since one must actively select and organize words and images as well as integrate prior knowledge in the working memory when learning [24].

According to the Cognitive Theory of Multimedia Learning (CTML) combining different types of representations randomly does not automatically lead to a successful learning process [28]. There are various, partly contradictory approaches. Mayer and Moreno (2003) introduced 12 recommendations for designing multimedia representations. Seven of them are particularly interesting for my research:

1. C. 2. 1. Multimedia principle

According to the *multimedia principle* visualization-text-combinations enhance learning possibilities [24].

1. C. 2. 2. Modality principle

The modality principle follows up on this and says that visualizations shall rather be combined with spoken than with written text to use the visual as well as the auditory channel [28].

1. C. 2. 3. Segmenting principle

However, the segmenting principle states that it may even be more effective to add written information, as long as there is enough time to observe the visualization and reread the text [28].

1. C. 2. 4. Spatial contiguity principle

It is less controversial that different representations should be presented closely together, i.e. "text parts might even be integrated into the respective parts of the picture" ([28], p. 6). This is also referred to as spatial contiguity principle [18]. In addition, Ainsworth (2006) introduced the DeFT (Design, Functions, Tasks) taxonomy, which also supports "integrated presentations of representations" ([1], p. 190).

1. C. 2. 5. Temporal contiguity principle

Similarly, according to temporal contiguity principle, when explaining a visualization, a teacher should show and talk about the respective one simultaneously [28]. That verbal and visual information should be given at the same time, is also stated by the Integrated Model of Text and Picture Comprehension (ITPC) [28].

1. C. 2. 6. Signaling principle

The signaling principle recommends to "[p]rovide cues for how to process the material to reduce processing of extraneous material" ([24], p. 46).

1. C. 2. 7. Coherence principle

To prevent cognitive overload the coherence principle recommends removing unnecessary information from the representation [24]. Only information necessary for a certain task should be included [18].

1. C. 3. Discernment versus affordances

FIGURE 6 shows the complex relation between learners and representations, i.e. discernment and affordance [7].




FIGURE 6: Relation between disciplinary discernment of the learners (receiver) and disciplinary affordance of the representation (medium)

As shown in Figure 6 the discipline community is the sender who wants to share specific disciplinary knowledge as a message. Therefore, members of the community (e.g., scientists or teachers), create a representation as medium whose intended meaning is to provide access to disciplinary knowledge [7]. Usually the medium has further affordances than the intended disciplinary one [7]. Thus, different persons, i.e. receivers, discern different aspects of the same representation which may be irrelevant from a disciplinary point of view [7]. Discernment is an individual process and consists of noticing something, reflecting on it and constructing meaning [7]. Due to the variety of affordances and the individuality of the discernment process the representation may be misinterpreted. Even though members of the discipline think the way physics is presented in a certain representation is straightforward, learners may struggle with interpreting the same representation [12].

1. C. 4. Recommendations for enhancing learning possibilities

In chapter 1. C. 3. I pointed out that the relation between learners and representations, i.e. discernment and affordance, is complex. Due to this complexity the inherent potential of a certain representation to provide access to disciplinary knowledge is limited. To enhance the possibilities for learning from representations Fredlund *et al.* (2015) proposed three factors one must bear in mind when developing or choosing representations to create or enhance learning possibilities:

1. C. 4. 1. Identify relevant aspects

At first, the developer must identify the disciplinary aspects and write instructions carefully. E.g., Fredlund et al. (2015) "define disciplinary-relevant aspects as those aspects of physics concepts that have particular relevance for carrying out a specific task" (p. 2). Identification of those aspects is very important because it enables the developer

of a task to emphasize them and formulate instructions accordingly [12]. One of the main problems of learners is to focus on the relevant aspects for solving a certain task. [12]. When developing instructions for a task carefully, one can influence the learners in such a way that they shift their attention from aspects, which are neither disciplinary nor relevant, to disciplinary-relevant aspects [12]. This approach is similar to the above-mentioned signaling principle (see chapter 1. C. 2. 6.).

1. C. 4. 2. Select appropriate representations

Once the disciplinary-relevant aspects for solving the task at hand are identified, the developer must select appropriate representations. Fredlund *et al.* (2015) emphasize "from an educational perspective [...] it is important that the selected representation includes as few aspects as possible over and above those needed for a given task." (p. 3). Additional irrelevant aspects may distract from the important ones [12]. Therefore, "unpacking a semiotic resource increases its pedagogical affordance but decreases its disciplinary affordance" ([2], p. 36). However, this approach is similar to the abovementioned coherence principle (see chapter 1. C. 2. 7.).

In addition, one must bear in mind that the relevance of a certain aspect may vary when the representation is used in a different context [12]. Thus, identifying relevant aspects of a representation to solve a certain task is even more challenging for learners [12].

1. C. 4. 3. Create variation

The third factor according to Fredlund et al. is "creating variation around each disciplinary-relevant aspect" (p. 9). At first, disciplinary-relevant aspects are presented in a slightly different way, whereas the background remains unchanged [12]. This enables learners to distinguish between relevant and irrelevant aspects [12]. According to variation theory it is only possible to discern something from its background, if it is varied [31]. As a result, variation includes sameness and difference, since discerning something means not only discerning something as being itself, but also as not being anything else [31]. Besides, it is also part of the learning process to notice how the relevant aspects are related to each other [12]. Therefore, Fredlund et al. (2015) suggest the "covariation of different disciplinary-relevant aspects" (p.8), i.e. one aspect is varied in a certain representation and the learners are encouraged to figure out how this variation affects another relevant aspect in the same representation [12].

1. D. Particle physics

In this chapter an overview of particle physics is given. In especial, the Standard Model of particle physics and the interaction between particles and matter are addressed.

1. D. 1. Standard Model

"Indeed, the Standard Model of particle physics describes only about 5% of the universe. It does not explain dark matter, which accounts for approximately 25% of the universe—not to speak of dark energy, which supposedly adds the remaining 70% of the universe." ([39], p. 2)

Nevertheless, the Standard Model of particle physics is one of the fundamental basics of physics. Moreover, Wiener et al. (2017) claim that "every physics process can be traced back to fundamental interactions between elementary particles" ([36], p.1).

1. D. 1. 1. Fundamental particles

There are two types of fundamental particles, leptons and quarks, and six particles of each type [35]. They are supposed to neither have inner structure nor dimension [35]. All fundamental particles as well as their mass and charge are listed in TABLE 1.

TABLE 1: Characteristics of the fundamental particles. Note that the corresponding antiparticles are not mentioned. (cf. [35], p. 1363)

	1	II	Ш	
	up (u)	charm (c)	top (t)	Flavor
S	+2/3	+2/3	+2/3	Charge [e]
R.	2,3	275	173000	Mass [MeV/c²]
QUARKS	down (d)	strange (s)	bottom (b)	
Ø	-1/3	-1/3	-1/3	
	4,8	95	4500	
	electron (e)	muon (μ)	tau ($ au$)	
LEPTONS	-1	-1	-1	
	0,511	105,659	1777	
	electron neutrino (ν_e)	muon neutrino ($ u_{\mu}$)	tau neutrino ($ u_{ au}$)	
	0	0	0	
	<2 eV/c ²	<0,19	<18,2	

Each type of fundamental particles is classified in three generations. As shown in TABLE 1 particles of higher generation have greater mass than the corresponding particle of the previous generation. Thus, the lightest particles, which are the most stable, constitute the first generation, "whereas the heavier and less-stable particles belong to the second and third generation". All stable matter in the universe is composed of first-generation particles because "any heavier particles quickly decay to more stable ones"².

¹ [CERN website], retrieved from https://home.cern/science/physics/standard-model (8.2.19)

² [CERN website], retrieved from https://home.cern/science/physics/standard-model (8.2.19)

Fundamental particles have half-integral spin $\left(s = \frac{1}{2}\right)$, which means that they are fermions and that the Pauli-principle applies to them [35]. In contrary, bosons are particles with integer spin to which the Pauli-principle does not apply [35].

Since fundamental particles are spin- $\frac{1}{2}$ -particles, they are described by the Dirac-equation, which is a relativistic form of the Schrödinger-equation [35]. According to special relativity the energy of a particle is related to its mass and momentum via the equation $E=\pm\sqrt{p^2c^2+m^2c^4}$ [35]. Wave functions, which pertain to the negative energies, are solutions of the Dirac-equation [35]. Therefore, Dirac claimed that there are antiparticles which are identical to the particles except for the charge [35]. As regards the electron, if the antiparticle is nearby both annihilate and are transferred into two photons, which have a minimum total energy of $2m_ec^2$, where m_e means the electron's mass [35]. The antiparticle of the electron is the positron and was the first to be discovered [35]. All fundamental particles have antiparticles, which can only be produced in particle-antiparticle-pairs [35]. Whereas spin and mass are the same for particles and antiparticles, they have opposite charges [35]. They have further opposite properties, e.g. the baryon number and the strangeness (see [35], p. 1363). However, the antiparticles are indicated by a horizontal bar above the letter that represents the particle (e.g., up u and antiup \bar{u})[35].

1. D. 1. 2. Fundamental interactions

There are four fundamental interactions, namely strong, electromagnetic, weak and gravitational [35]. In general, particles interact with each other by the exchange of interaction particles, which are gauge (and vector) bosons [35]. By exchanging a gauge boson, particles transfer discrete amounts of energy³. The "property of an elementary particle that defines the fundamental interaction by which it is influenced" is its charge ([39], p.1). Hence, the "corresponding interaction particle 'couples' to a certain charge" ([39], p.1). Thus, there is an interaction particle associated with every interaction.

In the following the four fundamental interactions are described in more detail.

The strong interaction influences particles with a color charge (quantum chromodynamics, or QCD for short) [39]. Gluons (g) are the interaction particles of the strong interaction and accordingly couple to color-charged particles [39]. Since quarks, antiquarks, and gluons themselves carry color charge, they are influenced by the strong interaction [35]. The decay time of processes caused by strong interaction is typically 10^{-23} s [35]. Hadrons are influenced by the residual strong interaction, since they are

³ cf. [CERN website], retrieved from https://home.cern/science/physics/standard-model (8.2.19)

composed of quarks [35]. The color charge of these quarks is not completely cancelled out when composing a hadron which results in a residual strong interaction between hadrons [35]. In general, hadrons comprise baryons and mesons [35]. The former are composed of three quarks and have half-integral spin (e.g., proton, neutron, ...) [35]. The latter are composed of a quark and an antiquark and have integral spin (e.g., kaon, pion, ...) [35].

All electrically charged particles are influenced by electromagnetic interaction (quantum electrodynamics, QED) [39]. Photons (γ) are the interaction particles of the electromagnetic interaction [39]. Thus, they couple to quarks and antiquarks, and electrically charged leptons and antileptons [39].

The weak interaction acts on particles with weak charge which is referred to as flavor (quantum flavor dynamics, QFD) [39]. The corresponding interaction particles are the weak bosons (W^+, W^- and Z^0) [39]. Since quarks and leptons, i.e. all fundamental particles, have flavor, weak interaction acts on them [35]. "Weak bosons can also interact with the photon (but this is a pure weak interaction, not an electromagnetic one)" ([39], p. 2). The decay time of processes caused by weak interaction is typically 10^{-10} s [35].

Whereas all fundamental interactions are described by the Standard Model of particle physics, the gravitational interaction is not [39]. However, mass constitutes the "charge" of the gravitational interaction. The graviton which hypothetically mediates the gravitational interaction has not been discovered yet [35].

In TABLE 2 the characteristics of the fundamental interactions are listed.

TABLE 2: Characteristics of the fundamental interactions. (after [35], p. 1363)

	Strong inte	eraction residual	Electro- magnetic interaction	Weak in- teraction	Gravita- tional in- teraction
acts on	color ch	narge	electrical charge	weak charge (flavor)	mass
involved particles	quarks ¹ , glu- ons	hadrons (baryons ¹ , mesons)	quarks ¹ , electrically charged leptons ¹	quarks ¹ , leptons ¹ , photons	all¹
interaction particles	gluons	mesons	photons	weak bosons	graviton ²

¹ including the corresponding antiparticles

² not yet discovered

Besides the above-described fundamental forces, which are vector fields, there is the Brout-Englert-Higgs (BEH) field [39]. In contrary to the others it is a scalar field and thus, has a special effect, the Higgs mechanism [39]. "[I]t induces spontaneous symmetry-breaking, which in turn gives mass to all particles with which it interacts" ([39], p.1). This explains why bosons have mass, although they were considered to be massless [35]. The interaction particle of the BEH field is the Higgs (H). It couples to all massive particles and hence, also to itself but not to the massless gluon and photon [39].

1. D. 2. Interaction between particles and matter

To detect and identify particles in a detector, they must interact with its material [35]. Particles interact in various ways with matter (see [35]). This chapter focuses on the interaction of electrically charged particles from α - and β^{\pm} -transformations, and of photons from γ -transformations and X-ray radiation with silicon.

1. D. 2. 1. Charged particles

Charged particles loose energy when they traverse matter [35]. The energy is deposited and transferred to the electrons of atoms of the absorbing material [35].

The mean energy loss per path length is quantified by the linear energy transfer (LET) relation, which is also referred to as stopping power S(E) (see EQUATION 1) [21].

$$S(E) = -\frac{dE}{dx} = -LET$$

EQUATION 1: Stopping power

According to the Bethe-Bloch-formula (see EQUATION 2) the mean energy loss per path length is dependent on the medium and the traversing particle [35].

$$-\frac{dE}{dx} = \frac{4\pi nZ^2}{m_e c^2 \beta^2} \left(\frac{e^2}{4\pi e_0}\right) * \left[\ln \left(\frac{2m_c c^2 \beta^2 \gamma^2 \Delta T_{max}}{I^2}\right) - \beta^2 \right]$$

EQUATION 2: Bethe-Bloch-formula

Relevant for the energy loss are the atomic number Z of the traversing particle, the electron density n of the material, and its mean excitation potential I which rises with the mass number of the material. Moreover, the relativistic speed $\beta = \frac{v}{c}$ of the invading particle, the Lorentz-factor $\gamma = 1/\sqrt{1-\beta^2}$ and the maximal energy transfer ΔT_{max} caused by a central collision with a core electron, i.e. an electron that is bound to the core, determine the energy loss [35].

For low energies the term $\frac{1}{\beta^2}$ is dominant [35]. Thus, the higher the energy, the lower is the energy loss per path length. This seems plausible, since a particle has less time to influence the material's electrons, if it travels faster.

In contrary to that, for high energies the term $\ln \gamma^2$ becomes relevant due to relativistic effects [35].

If only the atomic number and the energy are taken into consideration, the stopping power caused by ionization is $-\frac{dE}{dx} \propto Z \ln E$, and hence proportional to the logarithm of the energy [35]. Relatively light particles, e.g. electrons, which traverse a material, predominantly lose energy in form of bremsstrahlung [35]. The energy loss caused by bremsstrahlung is $-\frac{dE}{dx} \propto Z^2 E$, and hence linear proportional to the energy [35]. Thus, there is a distinction between collision and radiative stopping power. For low-energy particles the former is predominant, whereas for particles of higher energy the latter is predominant [35]. The crossing energy of both functions is referred to as critical energy [35]. It has the same value for all materials, namely $E_{crit} \approx \frac{6 \ 10 MeV}{Z}$ [35].

However, "[t]he stopping power can be approximated to an average value along the track within materials like silicon" ([21], p. 11).

The range, which a particle can traverse a material until it stops, can be calculated according the continuous slowing down approximation range R_{CSDA} (see EQUATION 3) [21]. It is calculated as the initial energy E of the particle, when it enters the material, divided by the stopping power [21]. Since the rest energy of the particle is neglected, the R_{CSDA} is an approximation [21]. According to EQUATION 3, the higher the stopping power is, the shorter the range that the particle can penetrate the material.

$$R_{CSDA} = \frac{E}{S(E)}$$

EQUATION 3: Continuous slowing down approximation (CDSA) range

FIGURE 7 shows the continuous slowing down approximation range in silicon for electrons and FIGURE 8 for helium ions, whereby the scales are logarithmic.




FIGURE 7: CDSA Range as function of the energy for electrons in silicon (reprinted from *NIST database*, retrieved from https://www.nist.gov/pml/stopping-power-range-tables-electrons-protons-and-helium-ions (9.2.19))




FIGURE 8: CDSA Range as function of the energy for helium ions in silicon (reprinted from *NIST database*, retrieved from https://www.nist.gov/pml/stopping-power-range-tables-electrons-protons-and-helium-ions (9.2.19))

One can see that in general, the CDSA range of electrons is greater compared to helium ions. Furthermore, the graphs' shapes differ from each other due to the above-mentioned differences in stopping power. As shown in FIGURE 8 the CDSA range of a helium ion rises at higher energies, because the corresponding stopping power

decreases. In contrary to that, the CDSA range of electrons decreases at higher energies, since the stopping power rises due to bremsstrahlung.

1. D. 2. 2. Photons

Whereas charged particles always interact with silicon, this does not apply to photons [21]. There are three main absorption processes: photoelectric absorption, Compton scattering and pair production (see [35]). The probability, that one of these reactions between the traversing photon and a particle of the material occurs, is described by the cross-section σ [35]. The corresponding absorption coefficient is the absorption probability per path length (see Equation 4:) [35].

$$\mu = \frac{\sigma}{A} \frac{dN}{dx}$$

EQUATION 4: **Absorption coefficient**, where A stands for the area and N for the number of particles

According to the **photoelectric effect** a photon frees a core electron [21]. Since the photon transfers all its energy to the electron, it is completely absorbed [21]. The cross-section for the photoelectric effect is $\sigma_{photo} \propto \frac{Z^n}{E_V^{3}}$, whereby $n \approx 4 \dots 5$ [35].

The **Compton scattering** describes the elastic collision between a photon and a core electron [35]. "The result is a distribution of the original photon energy between a scattered, lower energetic photon and a freed Compton electron which both travel in different directions from the incident photon." ([21], p. 13f) The cross-section for the Compton-effect is $\sigma_{photo} \propto Z$ [35].

Finally, **pair production** means that the photon's energy is transferred to an electron-positron-pair [35]. The energy of the photon must have a minimum of $2m_ec^2$ [35]. The corresponding cross-section is $\sigma_{pair} \propto Z^2$ [35].

According to the different above-described cross-sections, photons with low energies mainly undergo the photoelectric effect, apart from the range of 1MeV, where the Compton scattering is predominant [35]. The main process for photons with energies above 100MeV is pair production [35].

FIGURE 9 shows the total absorption probability in silicon as a function of the photon energy with a range from 1keV to 100GeV using logarithmic scales. One can see that the total absorption probability for photons with an energy around 100keV in silicon is already reduced to 1%. "For comparison, the total absorption in cadmium-telluride is given representing a sensor material with a higher atomic number and a more than doubled material density." ([21], p. 14)




FIGURE 9: Total absorption probability of photons from γ -transformatios and X-ray radiation in a 300 μ m thick silicon (solid black) and CdTe (solid grey) for comparison (retrieved from [21] as reprinted from Rossi, L. et al. (2006). Pixel Detectors. Berlin: Springer)

1. E. Particle physics in school

Particle physics is not only fascinating but also fundamental, even though "in most countries the topic of modern physics is usually added at the end of physics education – if at all" ([36], p. 1). In the following I describe how particle physics can be tackled at earlier stages in school.

1. E. 1. Introducing the Standard Model of particle physics

Wiener et al. (2017) "developed a learning unit, which aims to introduce 12 year-olds to elementary particles and fundamental interactions" (p.1). The learning unit does neither depend on the curriculum nor on the learners' prior knowledge about particle physics and thus, can be used for all age-groups [36].

1. E. 1. 1. Key ideas about the subatomic structure of matter

The learning unit is based on "ten key ideas, which are fundamental to the introduction of the subatomic structure of matter" ([36], p. 3). They are described as follows by Wiener et al. (2017):

1. Matter is everything that can be touched, practically or theoretically.

- 2. Reality is described through models, e.g. the model of particle physics.
- 3. In the model of particle physics, there are atoms, which may combine to form compounds.
- 4. In this model, atoms are divided into two areas: the nucleus-space and the orbital-space.
- 5. In the nucleus-space, protons and neutrons are located.
- 6. Protons and neutrons are particle systems, which are made of quarks.
- 7. Quarks are indivisible. In this model, these are called elementary particles.
- 8. In the orbital-space, it is likely to find electrons.
- 9. Electrons are indivisible. In this model, these are called elementary particles.
- 10. In this model, apart from particles, there is only empty space. ([36], p. 3)

1. E. 1. 2. Representation of particles

It is a common teaching practice for visualizing abstract concepts to present everyday objects [9]. Thus, learners may believe that we can imagine any abstract concept as object, even submicroscopic particles [9]. Moreover, learners memorize such visual representations well, and thus they are not likely to question or give them up again [9]. Therefore, representing particles as spheres is fraught with pitfalls and causes misconceptions [36]. Instead Wiener et al. (2017) recommend "avoiding any pseudorealistic illustrations and focusing on abstract symbols" (p.3) and developed "typographic illustrations" for their learning unit about elementary particles (see [36]). When using these typographic illustrations, it is obvious that they function as models for something we cannot perceive visually [36]. Thus, the model aspect of science, and especially of particle physics, is emphasized [36].

1. E. 1. 3. Linguistic accuracy

Learners struggle with distinguishing between particles, which are made up of (elementary) particles, and elementary particles. Wiener et al. (2017) recommend using the term "particle" only for the latter [36]. The former shall be termed "particle systems" instead [36].

Furthermore, they divided the atom linguistically in two areas by introducing the terms "nucleus-space" and "orbital-space" [36]. These terms especially emphasize that both are areas where particles are located with a certain probability [36]. Teachers should also highlight that within their space particles do not have classical characteristics (e.g., location or path) [25]. In addition, talking about the nucleus- or orbital-space already implies that these are empty except for the particles [36].

1. E. 2. Semiconducting materials as particle detectors

When talking about semiconducting materials, especially about diodes, in school, it is also possible to include particle detectors. In this chapter I describe my personal teaching experience, key ideas, and recommendations for teaching practice.

1. E. 2. 1. Personal teaching experience

From my teaching experience I can tell that detectors are a catchy topic in the context of semiconductors and in especial diodes. Therefore, I usually talk about photodiodes and possible applications with my 8th grade students. Besides solar cells and TV receivers, we learn about the detector chip of a consumer camera and detectors at CERN. So far, I did this with four classes, i.e. with approximately a hundred students. I got the impression that they were really interested in this topic, but I may not be objective.

1. E. 2. 2. Key ideas about the function principle of particle detectors

The function principle of a particle detector used as a consumer camera and as specific detector at CERN is basically the same:

- 1. Particle detectors consist of photodiodes out of semiconducting material, usually silicon, which are operated in reverse direction.
- 2. When a charged particle or photon moves through the depletion zone of a diode, it deposits its energy to an electron. The electron is freed from its atom and hence, electron-hole-pairs are produced.
- 3. The electrons and holes function as free charge carriers.
- 4. The free charge carriers are collected by an externally applied electrical field and can be measured as voltage.
- 5. One can tell how much energy was deposited because the higher the energy deposit of the charged particle or photon, the more charge carriers are freed and the higher is the measured voltage.⁴
- 6. Since the detector is divided into several thousand pixels, one can further tell where the energy was deposied.

1. E. 2. 3. Representation of particle tracks

The detector data can be read out and displayed with a user interface. Since different particle types deposit characteristic amounts of energy and leave specific tracks in the detector, they can be identified [38]. The teacher must emphasize that "[t]he detected patterns do not picture the original dimensions and shape of the incident particle" ([21], p. 9). Only the location and the relative amount of free charge carriers, which are a result of the interaction between the particle and the sensor material, are imaged [21].

⁴ Note that the energy is deposited in quants and via secondary processes.

1. E. 2. 4. Linguistic accuracy

It is necessary to make a clear distinction between ionizing radiation from radioactive transformations and the cover term "ionizing radiation", since other types of radiation are ionizing as well [20].

When talking about ionizing radiation from radioactive materials it is inevitable to distinguish between particles from α - and β^{\pm} -transformations, and photons from γ -transformations [20].

The former is referred to as particle radiation, which means that massive particles, namely helium cores and electrons, are propagating [20]. In addition, particle radiation also comprises cosmic radiation, e.g., propagation of muons and other elementary particles [20].

The latter pertain to electromagnetic radiation [20]. In contrary to particle radiation, energy transport does not include transport of matter in case of electromagnetic radiation [20]. The other types of ionizing electromagnetic radiation are X-rays and UV-light [20].

Finally, it is important to emphasize that the term "radioactive radiation" is a shortening of "ionizing radiation from radioactive sources" [20]. It is not the radiation that radiates radiation but a radioactive material [20]. In my opinion it may be helpful to explain that this shortening does not even make sense, since the term "radioactive" is derived from Latin and means "to emit radiation". If radiation is mixed up with the transport of radioactive material, which is a common preconception, this approach may not help though [20].

2. RESEARCH INTEREST

As little is known on what learners discern from visualizations in particle physics, the aim of this study is to obtain a better understanding of whether they are learning aids or obstacles. The research interest is similar to Eriksson et al. (2014) who carried out a study about an astronomical representation and introduced the Anatomy of disciplinary discernment. In this study the ADD has been tested as a tool to evaluate the efficiency of using visualizations for teaching particle physics.

These are the main **research questions** [7]:

- 1. What is the discernment reported by high school and university students and teachers when they engage with the same disciplinary representations concerning particle physics?
- **2.** How can this **discernment** be **characterized** from an **educational perspective** with respect to the Anatomy of Disciplinary Discernment?

3. ANALYZED REPRESENTATIONS

My research interest is to find out what learners discern, when they engage with visualizations in particle physics. Two representations concerning particle physics and related to CERN were analyzed, namely a video and a user interface.

3. A. Video

3. A. 1. Selection process

I aimed to analyze a video that was developed by CERN employees or is displayed in CERN's exhibition, as well as suitable for teaching particle physics in schools. Therefore, I searched for an appropriate video on the CERN CDS video website. In especial, I looked at two different videos. For comparison I listed their advantages and disadvantages in TABLE 3.

TABLE 3: PROs and CONs of different videos

VIDEO	PROs	CONs
"Voyage into the world of at- oms"	Suitable for teaching particle physics in schools (molecules – atoms – electron – nucleus – quarks)	Fibril structures are included
Link: https://vid- eos.cern.ch/rec- ord/2307613 (17.12.18) ⇒ STANDARD	Similar to the video "Flight over the Virgo Cluster" (zoom out of milky way until one can see other galaxies) analyzed by Eriksson et al. (2014)	Focus on proton, no details about the neutron included Continuum and discontinuum concepts are mixed up
MODEL	Can be divided into short clips Available either with or without labels	Possible misunderstandings: - Particle systems are bubbles filled with particles and air in between - Electrons look like drops
"CERN OVER- VIEW animation" https://vid- eos.cern.ch/rec-	Suitable for talking about CERN in schools, since it gives an overview (hydrogen source – accelorators – LHC – detectors)	What happens in the Duoplasmatron Proton Source/LINAC/? ⇒ No further details included
ord/2020780 (17.12.18) suggested stop at 1:19 ⇒ OVERVIEW	Protons move in opposite directions ⇒ Collisions in the 4 detectors Can be divided into short clips	Possible misunderstandings: Protons are red lines that move along the same path but in opposite directions ⇒ Proton collisions take place everywhere in the tunnels

Finally, I decided on the video called "Voyage into the world of atoms". This video was selected, since it involves several advantages and disadvantages that are interesting subjects to further investigation (see TABLE 3). E.g., the ways in which particles are visualized in this video are interesting for physics education research, since "[o]ne of the biggest challenges when it comes to teaching particle physics is its abstractness" ([36], p. 3).

3. A. 2. Video "Voyage into the world of atoms"




FIGURE 10: Endings of the four sections: representation of atoms, electron orbitals, protons, neutrons and quarks

The video "Voyage into the world of atoms" was developed by Daniel Dominguez, a CERN employee, and is displayed in CERN's Microcosm exhibition.

It shows the structure of matter at smaller and smaller scales. Zooming into a human hair, one passes through hair cells, fibril structures, keratin molecules, atoms, electron orbitals, nuclei, neutrons, protons, and finally quarks⁵ (see FIGURE 10). The video was developed for educational rather than disciplinary-specific purposes. In general, it is meant to give an impression of what particle physics is about by using a daily-life example. Furthermore, the video deals with the ten key ideas of subatomic particles mentioned in chapter 1. E. 1. 1.

However, the video can be referred to as *multi-modal representation*, since it consists of a dynamic visualization and a written explanation. In especial, a scale is included in the video which indicates the order of magnitude of the currently shown objects. Thus, the zooming is not only conveyed by itself but also by the scale.

Besides, the video is available with labels which provide further information of the objects in written form. They explain what is shown (e.g., they say "proton" and "neutron").

Since the video is a multimodal representation, it offers specific advantages and can be used for multimedia learning (see chapter 1. C. 2.).

For the main study the video was cut into four sections which lasted on average about 20 seconds. Their endings are shown in FIGURE 10. Cutting the video into shorter clips was necessary since it provides a huge amount of relevant information. Thus, displaying the whole video at once may overload cognition of the learner [24]. In "the concept of cognitive overload [...] the learner's intended cognitive processing exceeds the learner's available cognitive capacity" ([24], p. 43). According to Mayer and Moreno (2003) segmenting is a solution for this problem. The segmenting principle states that "[s]tudents understand a multimedia explanation better when it is presented in learner-controlled segments rather than as a continuous

⁵ Link to the video "Voyage into the world of atoms": https://videos.cern.ch/record/2307615 (30.11.18), Copyright: CERN 2018, Creator: Dominguez, Daniel

presentation" ([24], p. 47). Accordingly, "[p]resenting smaller segments at a time [...] enhances the possibility for a participant's focus to be sharpened and learning to take place" ([6], p. 143).

However, different groups of participants saw different versions of the video: Some of them saw the one with labels and the others the one without labels.

All participants were asked the same two open-ended questions for each clip in analogy to Eriksson's study concerning a video about the structure of the universe:

- 1. Please write what comes to mind when you watch this clip.
- 2. What, if any, "I wonder..." questions did this clip raise for you? ([7], p.171)

In addition, some follow-up questions were asked after the last clip (see chapter 10. A. 3.).

3. B. Representation of a measurement

The user interface "Pixelman" was developed by the Medipix2 collaboration at CERN and is used in S'Cool LAB for the X-rays workshop. Like the video the user interface "Pixelman" was developed for educational purposes.

Using the digital particle camera MX-10 and the user interface one can study tracks of particles [38]. Different types of particles can be distinguished by their specific signature in the detector [38]. The sensitive area of the detector chip measures $1.4 \times 1.4 \text{ cm}^2$ and is divided into 256×256 pixels. The deposited energy per pixel is measured.

The user-interface *Pixelman* is a *multimodal representation* as well, since a dynamic visualization and written text are combined.

A coordinate system is displayed on the screen, when using the interface *Pixelman*. The pixels are put on the X- and Y-axis of the coordinate system. Therefore, one can see where a particle hit the detector chip.

In addition, the energy deposit per pixel is represented by the color. This is indicated by a color map below the coordinate system where the deposited energy rises from left to right (see FIGURE 11) [38]. Accordingly, the higher the deposited energy, the brighter is the color of the pixel.

Neither the axes nor the color map is further explained than by numbers. Concerning the X- and Y-axis they indicate the number of the pixel. Concerning the color map, they tell how much energy was deposited. However, one would expect labels which say "number of pixel" and "energy deposit per pixel", as well as the corresponding units. "In such a representation, it becomes obvious that there are many different disciplinary affordances, which may be hidden to a novice or newcomer to the discipline" ([8], p. 2).

At the beginning of the part of the survey about the user-interface the participants got to read a short introduction about the function principles of a pixel detector. Afterwards they were asked what they discern from the representation of a measurement with the particle camera MX-10 and the user interface "Pixelman" (see chapter 10. A. 3.). When developing the questions about the representation of a measurement, Urban Eriksson's survey about Hertzsprung-Russel-Diagrams was used as a model (see [8]).




FIGURE 11: Representation of a measurement with a MX-10 pixel detector and education user interface "Pixelman": The participants only saw the screenshot in the middle. The zoomed details on each side provide additional explanations about the identification of particle tracks.

Although the chip is square shaped, the representation of the measurement adapts to the screen when displayed with *Pixelman*. Therefore, in the most common case when opening the user interface, the image is rectangular so that the particle tracks go out of shape. To make the survey as authentic as possible such a rectangular representation of the measurement was included as shown in FIGURE 11.

4. METHODOLOGY

The study approach was qualitative and interpretative-hermeneutic (see [6], p.137f). For the data collection an online survey with open-ended questions was created using "Google Forms". To analyze the data a category-based approach was chosen. Thus, it was possible to structure the participants' statements with reference to the five Levels of Discernment (see chapter 1. A. 2.).

4. A. Study approach

The qualitative approach was chosen because it has an "epistemological grounding that portrays knowledge as a human construction, and an aim that is to establish a new understanding of discernment" ([6], p. 137). Therefore, it is appropriate to figure out and describe what different persons discern and how they construct meaning from visualizations. My research rather answers qualitative questions, e.g. "what", "why" and "how", than quantitative ones, e.g. "how many" and "how much" [6]. Robson and McCartan (2016) defined typical features of qualitative social research (see [30], p.20) which I adapted for my study. The **characteristics of my qualitative research** are listed below:

- Results are presented verbally rather than numerical [30].
- The focus of the study is on the meanings associated with the evaluated representations [30].
- The research particularly pays attention to the discernment from the perspective of the learners who engage with the representations [30].
- "The design of the research emerges as the research is carried out and is flexible throughout the whole process." ([30], p. 20).
- It is considered that personal commitments of the researcher exist [30]. The researcher needs to be aware of and reflect on these commitments [30].
- The number of participants is small [30].

The approach was not only qualitative but rather hermeneutic-interpretive. Hermeneutics are appropriate since they aim to understand and determine meaning and to interpret [6]. Furthermore, they see "using a particular framework to construct a particular interpretation (understanding) of the experience of others constitutes a legitimate knowledge claim" ([6], p. 136).

4. B. Data collection

4. B. 1. Choice of method

For collecting data there are various methods with specific advantages and disadvantages described by Robson and McCartan (2016). In general, one can distinguish between three methods [30]:

- 1) The first one is observation, i.e. watching people and figuring out what is happening [30].
- 2) The second one is *interviewing*, i.e. asking people about what is happening [30]. For this purpose, questionnaires or tests are used either with or without direct, personal interaction between researcher and respondents [30].
- 3) The last data collection method is "looking for evidence" ([30], p.241) that people leave behind them [30].

Following Robson and McCartan (2016) the "selection of a method [...] is based on what kind of information is sought, from whom and under what circumstances" (p. 241).

The information I sought was what learners discern when they engage with representations in particle physics. This means that my research aimed to find out what the participants "think, feel and/or believe" ([30], p. 242). For this purpose, Robson and McCartan (2016) recommend using interviews or questionnaires [30].

Besides, the circumstances need to be considered when choosing a data acquisition method since they have a large influence on practicality [30]. For carrying out my study I spent two months at CERN in summer 2018 which means that time was limited.

Considering the above-mentioned aspects, I preferred the use of questionnaires over interviews. According to Robson and McCartan (2016) questionnaire-based surveys have several advantages and disadvantages. The ones that apply for my research are listed below:

DISADVANTAGES

- of surveys in general

- "Data are affected by the characteristics of the respondents (e.g. their memory, knowledge, experience, motivation and personality)." ([30], p. 248)
- "Respondents won't necessarily report their beliefs, attitudes, etc. accurately (e.g. there is likely to be a social desirability response bias people responding in a way that shows them in a good light)." ([30], p. 248)

- of self-administered surveys

- "Ambiguities in, and misunderstandings of, the survey questions may not be detected." ([30], p. 248)
- "Respondents may not treat the exercise seriously and you may not be able to detect this." ([30], p. 248)

- of Interview surveys

• "There may be interviewer bias, where the interviewer, probably unwittingly, influences the responses (e.g. through verbal or non-verbal cues indicating 'correct' answers)." ([30], p. 248)

ADVANTAGES

- of surveys in general

• "They provide a relatively simple and straightforward approach to the study of attitudes, values, beliefs and motives." ([30], p. 248)

- of self-administered surveys

- "They can be extremely efficient at providing large amounts of data, at relatively low cost, in a short period of time." ([30], p. 248)
- "They allow anonymity which can encourage frankness when sensitive areas are involved." ([30], p. 248)

- of Interview surveys

- "The interviewer can clarify questions." ([30], p. 249)
- "The presence of the interviewer encourages participation and involvement (and the interviewer can judge the extent to which the exercise is treated seriously)." ([30], p. 249)

4. B. 2. Development of the questionnaire

Data for my study was collected by computer-aided interviewing (CIA), since it provides several advantages (see [30], p. 254). An online questionnaire was created with "Google forms". This approach was chosen since it is free and easy to use even without having prior experience in developing questionnaires. According to Robson and McCartan (2016) "a good questionnaire not only:

- provides a valid measure of the research questions; but also
- gets the cooperation of respondents; and
- elicits accurate information." (p. 259)

To fulfill these criteria the questionnaire was developed step by step.

1. step: Initial draft of questionnaire

The first step was to precisely define the desired information. According to my research questions, desired information is what learners discern from visualizations in particle physics. Since my research interest is similar to Urban Eriksson's, I examined his surveys.

He created not only a questionnaire about an astronomical video but also about an astronomical diagram. The former is meant to be used for educational or entertaining purposes like the video about particle physics analyzed in my study. The latter is a specific representation used within the discipline which is a parallel to the representation of a measurement analyzed in my study. Besides Eriksson's questionnaires, I considered the recommendations given by Robson and McCartan (2016) (see [30], p. 254). In especial, I tried to "[k]eep the language simple" and the "questions short" as well as to "[u]se personal wording" ([30], p. 254). Since the focus was on individual discernment, I decided on using open-ended questions which particularly disclose the respondents' way of thinking [19]. Furthermore, it is possible to distinguish between different levels of discernment when using open-ended questions [19]. I created an initial draft of the questionnaire for my survey in German (see chapter 10. A. 1.). It was structured as follows:

At beginning of the questionnaire, the respondents had to agree to the ethical arrangements. Besides there were two questions concerning the personal background of the participants.

One part of the questionnaire was about the video. For the test version of the questionnaire the video was cut into six sections and the version with labels was used. Two questions about the discernment of the participants were posed for each video-clip. "In accordance with the 'segmenting principle' [...] the individual clips could be re-played as many times as wanted by the participants while they answered the clip questions." ([6], p. 144). FIGURE 12 shows a screenshot of the questions about the first videoclip and the accompanying introduction.

S'Cool LAB
Video
In den folgenden Abschnitten siehst du nacheinander Teile eines Videos. Öffne den Link, schau dir das Video an und beantworte die Fragen! https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/1_Haarzelle.mp4 1. Beschreibe, was dir in den Sinn kommt, wenn du diesen Videoclip siehst! Your answer
2. Was erscheint dir bekannt, neu, überraschend oder verwirrend? Your answer BACK NEXT

FIGURE 12: Screenshot of the questions about the first videoclip displayed

The other part of the questionnaire was about the representation of a measurement with Pixel detector *MX-10* and user-interface *Pixelman*. At first the respondents read an introduction about the function principle of pixel detectors. A question about this introduction was posed to make sure that the participants have at least the minimum knowledge needed to fill in the survey. Afterwards a screenshot of a measurement was presented accompanied by an introduction as shown in FIGURE 13. The set of questions about the visualization was divided and displayed in subsets, each of it accompanied by the screenshot and the introduction.



FIGURE 13: Screenshot of the first subset of questions about the representation of a measurement with Pixel detector MX-10 and user-interface Pixelman

2. step: Prestudy

Secondly, I carried out a prestudy. I tested the questionnaire on a group of high school students (see chapter 5.). For the prestudy I created two online forms with different order of parts, i.e. one questionnaire started with questions about the user interface and the other way around. This was done to find out, if the order of the posed questions effects the answers given by the respondents. A positive side effect was that by using two questionnaires I could make sure that seatmates filled in different versions, and thus could not copy from each other.

3. step: Revision of the questionnaire

After analysis of the results the questionnaire was revised. This was necessary because my survey contained questions that ask two questions at once, i.e. "double-barrelled questions" ([30], p. 254). Furthermore, some follow-up questions concerning the video were added. Besides, minor changes of the video itself were made. In detail the modifications of the questionnaire were as follows:

As in the initial version of the questionnaire the respondents had to agree to ethical arrangements and answer two questions concerning their personal background.

In the revised version of the questionnaire the video was cut into four sections instead of six. The first section contained the first three videoclips used in the initial draft since they were of low interest for my research. As the first clip should still not be longer than the others, the speed was increased. Furthermore, the two different versions of the video, with and without labels, were analyzed. Note that each group of participants only saw one version. This enabled me to compare the answers given by groups who saw the labeled version with those given by groups who saw the unlabeled version. Besides, the links to the videos were renamed. This was necessary because in the prestudy some respondents wrote what they discerned from the name of the link and not from the visualization itself. The two questions about each videoclip were retained but follow-up questions about the whole video were added. These "questions were used to further address aspects that the participants may have discerned in the [...] clips and which they were subsequently thinking about in retrospect" ([6], p. 144).

Furthermore, minor changes of the questions concerning the Pixel detector were made. The introduction to pixel detectors and the corresponding question were retained. After this question the same screenshot and explanation as before were presented for each subset of questions. One question was added to the last subset to find out, if learners recognize particle tracks correctly.

4. step: Evaluation

The fourth step was to test the modifications on a group of German teachers (see chapter 5.). After analysis of the results my colleagues at CERN and I discussed them. We thought that the revised version of the questionnaire served its purpose. My colleagues and I agreed on including the results of this trial group in the main study.

5. step: Final version of the questionnaire

In total there were eight different final versions of the questionnaire. There was a version of the questionnaire including the labeled videoclips and another including the

unlabeled videoclips. Furthermore, each version was available not only with different orders of questions, but also in German and English (see Appendix).

After development of the questionnaire the actual data collection process for the main study could start. Filling in each part of the questionnaire took about 25 minutes. Thus, filling in both parts took twice as long.

4. B. 3. Data collection process

Robson and McCartan (2016) introduced a model of the survey data collection process which I adapted for my research (see FIGURE 14).




FIGURE 14: Adapted model of the survey data collection process after Robson and McCartan (2016) ([30], p. 259)

The researcher and the interviewer may be the same person as was the case in my study.

As a researcher I specified the subject of question, the corresponding analytic use, i.e. the research interest (see chapter 2.), and the respondents' tasks, i.e. the questionnaire (see chapter 4. B. 2.).

As an interviewer I administered the questions to the respondents using computer-aided interviewing. This approach involved not only advantages but also disadvantages (cf. [30], p. 254). To the former count that no paper needed to be printed [30]. To the latter count that problems associated with IT were encountered [30]. E.g. the battery of some laptops failed so that they needed to be plugged in all the time [30]. Furthermore, the program crashed from time to time and thus, some participants had to start again from the beginning or their answers were lost. However, for administering the online survey I created links using the "CERN URL shortening service". This contributed not only to convenience but also to professional appearance.

The online questionnaire was administered using two different approaches:

The first one was "on a group basis" ([30], p. 250), i.e. I gathered a group of participants in one room where they filled in the survey at the same time. This approach involved not only characteristics of a self-administered but also some of an Interview survey as listed above (see chapter 4. B. 1.). As mentioned above, presence of the interviewer is advantageous. Thus, I was present to clarify questions and make sure that participants treat the survey seriously. However, problems were encountered, too. E.g., a room needed to be available with enough space for up to 45 people. Since I was at CERN to conduct this research, I had access to S'Cool LAB as well as CERN's main auditorium for data collection. Besides, a large number of laptops needed to be provided. Again, I could use S'Cool LAB property. My colleagues helped me to book and to prepare the rooms for data collection. Preparation included bringing the laptops in the room and putting them on the tables. In addition, they were turned on to check if they are working and needed to be charged, and the online survey was started on each of them. It took two persons about 45 minutes to prepare the room.

The second approach of data collection was purely self-administered. This means that I sent out the questionnaire to some participants per mail. As listed above, the self-administered approach involves specific advantages and disadvantages (see chapter 4. B. 1.). However, one big advantage of this approach is that it is less time consuming for the interviewer in comparison to the above described approach.

All respondents had to answer the questions by themselves in written form. This so-called "[s]elf-completion" ([30], p. 250) approach was an appropriate way of data acquisition for my research, since it enabled me to ask many persons in a limited amount of time.

Thanks to computer-aided interviewing it was easy for me as an interviewer to record, download and save the answers given by the participants since it was not necessary to type them in [30]. Therefore, as a researcher I could conduct data analysis very soon after collection [30].

4. C. Data analysis

There are various methodologies for analyzing the collected data within hermeneutics but all of them have one thing in common: The researcher must constantly compare subsets of the data with the set as a whole [6]. However, as mentioned above to analyze the data for my research a category-based approach was chosen.

4. C. 1. Category-based approach

Category-based analysis is defined as assigning single statements to certain categories [23]. When developing categories for analyzing statements, they should be theoretically grounded and empirically useful [19]. The number of evolving categories is important, since the general

principle is that they must be logically independent from each other [19]. Accordingly, two categories which are related to each other must be unified [19]. When the aim of the analysis is to show different levels of discernment of complex structures, a relatively large number of categories is useful [19]. To simplify an intricate category system, several categories may be merged subsequently under a cover term [19]. The goal is to obtain "the minimum number of independent categories to represent the data" ([29], p. 34f).

Concerning the content categories, the approach was inductive, i.e. the categories were derived from the statements. In contrast, concerning the analysis categories, the approach was deductive, i.e. the categories were derived from theoretical considerations [23]. According to Hammann and Jördens (2014) this is particularly useful, if the study aims to measure comprehension in scientific context [19]. Since my analysis, especially research question 2, focuses on characterizing the statements according to the Levels of Discernment, these were taken as reference from Eriksson et al. (2014).

As the term "code" is often used as a synonym for "category", the process of assigning statements to categories is also called "coding" [23].

4. C. 2. Rules for coding

When doing category-based analysis Kuckartz et al. (2009) established rules for coding statements (cf. [23], p. 78f). I adapted these rules for my study:

4. C. 2. 1. Coding single statements

A statement is defined as a participant's answer to one certain question of the survey and must be coded as one [23]. If it is about more than one aspect, only the part relevant for the chosen category is coded [23].

4. C. 2. 2. No double coding

A certain aspect must only be coded once per person [23]. If somebody e.g. criticizes in two statements that the representation of protons as bubbles is misleading, it is only coded once.

4. C. 2. 3. Spread coding

All answers of a person shall be considered [23]. If a person e.g. gives recommendations for the representation of a proton, when asked what new connections the movie made for the participant, the statement shall be assigned to the respective category unless it would be a double coding [23].

4. C. 2. 4. Coding of missing values

Empty answers or answers which shall be counted as empty (e.g., dash "-") shall be assigned to the category "Missing" [23]. The answer "none" or "nothing" shall function

as own category [23], e.g. when asked what new connections the clip made for the participant.

4. C. 3. Coding process

For the coding process I used the program *Microsoft Excel*, in which I assigned the statements manually to the analysis categories. Each category was indicated by a capital letter in the *Category* column as shown in FIGURE 15. The categories and the corresponding letters are explained in detail in chapter 7. A. 3. for the video and 7. B. 2. for the user interface.

Please write what comes to mind when you watch this clip.	Category	2. What, if any, "I wonder" questions did this clip raise for you?	Category
It gets even smaller	А	None	N
I realized how small an atom is and how much space the electron orbitals take up in the nucleus.	С	I wonder why the electrons are in this pattern.	В
it is a useful video as it shows the different scales using human hair as an example	х	I have not noticed anything new.	N
I didn't realise yet that hair is made out of carbon	В		М

FIGURE 15: Screenshot of the data coding process

4. C. 4. Statistical analysis

After coding all the statements, I compiled a statistic. To answer my research questions, the focus of the statistical analysis was on the relative frequency of answers in a certain category per group of participants. The quantitative analysis was done separately for each part of the survey, i.e. the part about the video and the part about the user interface.

The program *Mircrosoft Excel* was used. At first, the total of answers concerning the video or the user interface was calculated for each group of participants. Then I compared the total of answers assigned to a certain analysis category with the overall sum. Thus, I could calculate the relative frequency of answers of each group of participants in a certain category.

5. PARTICIPANTS

For my research it was more important to have a wide variety of described discernment than many participants. In total 174 persons, 83 females and 90 males, with various backgrounds in terms of education and nationality participated in the main study. In the *Ethical arrangements* I guaranteed that the data is treated confidentially. The only aspects that are linked with the answers given by the participants are the gender and the educational background. Therefore, I cannot provide further details about the groups of participants. However, all group of participants and their characteristics are listed in TABLE 4. Furthermore, one can see which groups filled in which parts of the survey as well as whether the questionnaire involved videos with labels or without.

TABLE 4: Participants of the prestudy and the main study

		CERN visitors		Others
		short-term	long-term	Omers
PRE- STUDY	High school students	19 German (6♀, 13♂):Video (labels)User interface		
	High school students	25 German (11♀, 14♂): • Video (no labels) • User interface	32 international – S'Cool LAB Summer Camp (182, 143): • Video (labels) • User interface	13 Austrian (8⊊, 5♂): • Video (labels)
MAIN STUDY	University students		39 international – Summer Student Programme (17⊊, 22♂): • Video (labels) • User interface	
	Teachers	21 German (10°, 10°, 10°, 1 n. a.): • Video (no labels) • User interface	44 international – International Teachers Weeks (19♀, 25♂): • Video (labels) • User interface	

The respondents were mostly visitors at CERN's site.

When analyzing the collected data, one must distinguish between short- and long-term visitors. The former are likely to have had less disciplinary prior knowledge than the latter who attended lectures about particle physics held by scientists at CERN. This bias must be considered.

Most of the CERN visitors had to fill in the survey on a group base because their program, e.g. lectures, visits or workshops, was on a group base anyway. To motivate them to participate in my survey, my colleagues and me offered them additional program in return. E.g., the German high school students could participate in a *Cloud Chamber Workshop* and both group of teachers could attend a workshop about 3D printed school experiments.

However, for the international summer students the self-administered approach was chosen. Therefore, I sent out an e-mail to my fellow summer students and kindly asked them to participate in my survey. As a thank you I gave to the respondents Particle identity badges.

Besides, a group of Austrian high school students was asked to fill out the survey on a group base at school in Vienna. There was no need to particularly motivate them to participate in my survey because it was a welcome change during their regular physics class.

6. QUALITY ISSUES

6. A. Introduction to quality issues

When doing any research, quality issues need to be considered. For different research approaches the focus is on specific aspects [6]. Thus, there is a myriad of key terms concerning quality issues. I engaged with several researchers who published papers on this matter, e.g. Schmiemann and Lücken (2014) and Stiles (1993). The former focused on the validity of tests about content knowledge and therefore, I cannot apply all key terms they define to my research. For my study I developed questionnaires that are rather about individual discernment than well-defined content knowledge. Thus, I followed the latter whose focus is on "[q]ualitative investigations of human experience" ([34], p. 593). In terms of quality issues this is applicable to my research. Furthermore, Eriksson (2014) whose study is similar to mine followed Stiles (1993) as well.

According to Stiles (1993) "qualitative research shifts the goal of quality control from the objective truth of statements to understanding by people" (p. 593). Thus, "characteristically qualitative trustworthiness issues arise because words do not mean the same thing to everybody and because events look different from different perspectives" ([34], p. 602).

However, for quality issues in context of qualitative research the main key term is trustworthiness which includes two aspects: Reliability and validity [34]. The former concerns the data and the latter the interpretations [34]. Another key term is objectivity [33].

6. A. 1. Reliability

Reliability is about the process of data collection [34]. The main question is "whether the observations are repeatable (after allowing for contextual differences)" or not ([34], p. 602). This comprises questions like "Do different participants say similar things?" or "Does one participant give consistent answers to questions worded different ways?" ([34], p. 602).

To fulfill the criteria included in reliability Stiles (1993) gives several recommendations for good practice (see [34], p. 602 ff). I adapted them for my research:

6. A. 1. 1. Disclosure of Orientation

The investigator discloses "expectations for the study, preconceptions, values, and orientation, including any theoretical commitments" ([34], p. 602). Thus, it is easier for the reader to conclude what the data means to the investigator [34]. Furthermore, disclosure of orientation makes it possible to retrace the study's impact on the theory [34].

6. A. 1. 2. Description of internal processes of investigation

The researcher describes his or her internal processes while collecting and interpreting the data [34]. To do so questions like "How did the investigation affect you?", "Were you surprised?" or "Did the data make you change your mind?" ([34], p. 603) are answered. However, this is only possible to a certain extent because one may not be aware of all internal processes [34].

6. A. 1. 3. Engagement with the material

In qualitative research engagement with the material may be the most time-consuming part [34]. It involves reading the whole dataset several times and searching for similarities between subsets of it [34]. For "developing empirically grounded theoretical categories" ([34], p. 605) it is necessary to alternate between data and theory, i.e. to compare developed categories repeatedly with the dataset. In addition, the evolved interpretations are discussed with other researchers and adapted if necessary [34].

6. A. 1. 4. Grounding of interpretations

"Interpretations [...] require grounding, and qualitative researchers have worked out a variety of procedures for linking their more abstract interpretations with their more concrete observations" ([34], p. 605). Stiles (1993) describes e.g. the "content analysis" approach (cf. [34], p. 605): After reading the data reoccurring topics and patterns are subsumed under several generic terms and thus, content categories evolve [34]. These are presented with illustrative examples [34]. Then, the researcher searches for similarities between different content categories [34]. In addition, already existing theories are taken into consideration when organizing the content categories into analysis categories [34].

6. A. 1. 5. Ask "What?", not "Why?"

"Good practice enjoins qualitative researchers to ask participants questions that they can answer" ([34], p. 606). E.g., "although people may not know why, they do know what" ([34], p. 697). Even if the respondents may not be able to express their reasoning, when they are asked "what", their answers may divulge the reasoning [34]. Thus, the researcher can interpret them and derive a theory from them [34].

6. A. 2. Validity

There are various definitions of validity.

Schmiemann and Lücken (2014) define it as the efficiency of the data collection method. Thus, the main question is, if it measures the aspect that it was intended to measure. e.g. a test for content knowledge is not valid, if it rather measures reading comprehension than content knowledge [33]. Furthermore, they claim that before development of the data collection device the researcher must define clearly what shall be measured and why [33].

However, according to Stiles (1993) validity in qualitative research refers to the interpretation and concerns if it "is internally consistent, useful, robust, generalizable, or fruitful" (p. 607). Since my study approach is interpretive-hermeneutic, validity is extremely important for my research. Stiles (1993) describes various types of validity. The ones that apply for my research are listed below.

6. A. 2. 1. Triangulation

Triangulation encompasses several aspects:

Data triangulation refers to the data and "means seeking information from multiple data sources" ([34], p. 608), i.e. using multiple methods of data collection.

Methodological triangulation means combining methodological approaches within one study, e.g. a qualitative and a quantitative approach [30].

Following theory triangulation "multiple prior theories or interpretations" are considered ([34], p. 608).

Investigator triangulation means that more than one researcher is involved when developing an interpretation of the data and convergence is assessed [34]. This type of triangulation is similar to replication and consensus among researches (see [34], p. 612).

6. A. 2. 2. Coherence

Coherence "refers to the apparent quality of the interpretation itself" ([34], p. 608). It must hang together and thereby be internally consistent and comprehensive [34]. Furthermore, in an ideal interpretation the arguments of an opponent are explained and disproved [34]. Accordingly, it must go beyond simply matching data with theories [34].

6. A. 2. 3. Uncovering and self-evidence

When evaluating an interpretation, the main question is if the research questions have been answered [34].

6. A. 2. 4. Reflexive validity

Reflexive validity is concerned with how the data effects the researcher's way of thinking as well as the theory [34]. As mentioned above (see chapter 6. A. 1. 3.) engagement with the data and interpretation take turns in qualitative research. Thus, the effect is intended and especially obvious [6]. However, Reflexive validity is related to Disclosure of orientation and Description of internal processes in terms of the reliability of a study.

6. A. 3. Objectivity versus bias

Objectivity is essential for the quality of any research and the corresponding antonym is bias. Biases are threats to objectivity and "can be described as impermeability to new experience" ([34], p. 613). There are three types of biases that must be considered when addressing quality

issues: investigator's, participant's, and reader's bias [34]. All of them have one thing in common, namely that they are due to prior expectations and values of the involved persons [34]. However, all three groups of persons can be surprised, change their way of thinking and come to a new understanding [34]. Therefore, the "initial biases are not immutable" ([34], p. 613).

I want to describe the first type of bias, i.e. investigator's bias, and how to deal with it in more detail in this chapter.

Investigator's bias means that the investigator may perceive and report selectively [34]. Thus, it is essential to reveal his or her "personal involvement and commitments and the process of investigation" ([34], p. 614), i.e. Disclosure of orientation, Description of internal processes of investigation and Reflexive validity. These approaches allow "readers to incorporate the investigator's part in the story into their understanding and to adjust their understanding to compensate for the investigator's biases" ([34], p. 614). Thus, "[t]he strategy of revealing rather than avoiding involvement is consistent with the broader shift in goals from the truth of the statements to the understanding by participants and readers" ([34], p. 614). Another strategy for compensation of investigator's bias is Investigator triangulation (see chapter 6. A. 2. 1.). However, seeking consensus with other researchers may be accompanied by intentional pressure as well as unintentional influence of established investigators on others [34].

6. B. Quality control in this study

In my research quality control refers to several aspects that I want to discuss in terms of reliability, validity and bias.

6. B. 1. Reliability

To enhance reliability of my research I will now disclose the prior orientation and how the data effected my way of thinking.

My expectations for the study were that the Levels of discernment introduced by Eriksson et al. (2014) are also valid for visualizations in particle physics. Furthermore, like Eriksson (2014) I was surprised "how little disciplinary knowledge some participants used in their discernment descriptions" ([6], p. 157). However, this finding did not influence me in a negative way. It rather had a positive effect on my analysis, since it forced me to have an analytic mindset, especially when defining the content and the analysis categories. Thus, I tried to make a clear distinction between non-disciplinary and disciplinary discernment.

Furthermore, I expected that several problems arise when learners engage with these visualizations since they look at them from a different point of view than teachers do. In

especial, I expected the representations of particles and particle systems to be problematic, since models need to be used for illustrating abstract concepts. Therefore, I was surprised by the data in a positive way because more respondents than expected criticized the visualization of particles and particle systems. At first, this positive feeling crept into the analysis process. When I started to assign the statements to categories, I associated too many with the disciplinary evaluation level. When repeating the coding process, I recognized that not every statement mentioning the representation of particles and particle systems is evaluative and that I overestimated some of them. Therefore, I argue that the more I engaged with the date, the more I could shift my mindset from evaluation towards analysis.

Then, I want to address reliability in terms of engagement with the data and grounding of interpretations. These were the main parts of data analysis in my research. I used the earlier described "content analysis" approach. At first, I developed content categories by studying the representations. Then I considered the data I gained to define the content categories in greater detail. Since I engaged intensively with the data, read and reread it and compared subsets with the whole set, the definition of these categories was revised multiple times as well. Besides, the Levels of discernment were taken into consideration to divide the content categories into groups of analysis categories. Therefore, I argue that interpretations of data are grounded properly.

Finally, I tried to enhance reliability by asking the right type of questions. When developing my questionnaire, I followed theoretical guidelines and studied the questionnaires developed by Eriksson (see [6] and [8]). Thus, I "asked specifically for 'what' the participants discerned and not 'why' they did so" ([6], p. 157),

6. B. 2. Validity

In this chapter I want to address quality control of my research in terms of *internal* and external validity regarding the above described aspects (see chapter 6. A. 2.).

6. B. 2. 1. Internal validity

The focus of the internal validity is on data collection and analysis with respect to a specific research question. A research is internally valid, if "valid information about the respondents and what they are thinking, feeling or whatever" ([30], p. 247) is obtained. To ensure internal validity several aspects were taken into consideration which are as follows:

At first, I want to address the data collection method. For this study data was collected using an online survey. The questionnaire was developed carefully to make it as understandable as possible for the participants by considering recommendations and theory (see chapter 4. B. 2.). Following Schmiemann and Lücken (2014) whose focus is on the

efficiency of the data collection method I will discuss internal validity in terms of data collection method separately for both parts of my questionnarie.

The video is about zooming into a human hair. It starts with the representation of a daily life object which the participants are familiar with and not with the representation of a physics model. Thus, I argue that most of the participants know at least what the video is about in general. This claim is confirmed by the data. Furthermore, the questions about the video are straightforward and focus on individual, visual perception. Since the intention of my questionnaire is to find out what learners discern from visualizations in particle physics, I am convinced that the part about the video is valid in terms of the definition by Schmiemann and Lücken (2014).

When developing the questions about the representation of a measurement one problem arose. Without additional information or prior knowledge, it is barely possible to recognize the screenshot as representation of a measurement. In addition, it only shows visualizations of abstract concepts, namely the energy deposit per pixel in false colors, but not the particles themselves. Thus, I decided on including a short introduction to pixel detectors at the beginning of this part of the survey. The arising problem may be that the test partly measures reading comprehension of the participants as well. Since the introduction gives essential information for understanding the image, I claim that the probability of high-level discernment is higher for participants who understood the text better. To moderate this effect. I posed a single-choice question concerning the introduction which is "In how many pixels is the detector chip divided?". My motivation was to enhance the probability that the participants know that at least and rerecognize the pixel numbers in the image. Indeed, some of the respondents even guessed my intention. When asked what the image represents, some answered e.g. "Probably hits in the silicon detector from the last slide", "The above-mentioned silicon chip" and "As the revious [sic!] question was about particle detectors then I am biased to answer that it represents energy deposited, most probably by a particle". Although I asked about the number of pixels, the importance of reading comprehension may still be an issue for the validity of this part of the questionnaire. In addition, one must bear in mind that the text was in English for the international groups of participants and reading comprehension may be restricted by language skills as well. However, I took a close look at the data and neither for the high school nor for the university students I could find any traces of this being an issue, but there were a few exceptions among the teachers. I found that some of them have bad English skills because they could not express themselves properly in English. Thus, I argue that their reading comprehension is limited. The difference in reading comprehension causes a spread in prior knowledge of the participants. Since the data I want to gain is various descriptions of discernment, I argue that the overall negative effect on my results is close to zero. Anyway, when the focus is on the efficiency of the test, validity may be limited but I could not think of any other option than a written introduction. Similar problems would have arisen when giving an oral introduction since it is likely that not all participants pay attention.

All in all, the answers given by the participants indicate that they understood the questions and took the survey conscientiously, apart from some exceptions that are described below. In addition, as in the study by Eriksson (2014) "the length of the survey and the time it took on average to complete could have been an issue" ([6], p. 155). Again, apart from some exceptions, I could not find any indices of these issues. Some university students even gave positive feedback as further comments, e.g. "I liked the survey" and "It was nice and interesting".

Then, I want to address the administration approach of my study. In general, it may be a threat to internal validity of the study that participants' answers given in a survey may differ from those given in a natural environment and a conversational context [6]. My survey was handed out using two different approaches (see chapter 4. B. 3.).

The first approach of data collection was on a group base. Thus, the data collection took place in S'Cool LAB or the main auditorium and teachers were present who gave instructions. Accordingly, the context was similar to regular school lessons. Most of the participants of my study were high school students and teachers who are particularly familiar with that kind of situation. Therefore, threats resulting from unfamiliarity were limited [6]. One must notice though that the teachers are rather indirectly than directly used to such a situation. However, comparing the answers given by the high school students and the teachers there are neither obvious differences concerning the length nor the effort that was put in. In general, both group of participants answered the questions in great detail.

In contrary to that there were differences in comparison with the university students' answers. For the university students the self-administered approach was chosen. Therefore, they were less familiar with the setting for filling in the survey. In addition, when engaging with the data it is obvious that some university students did not take the survey seriously, and hence put less effort in answering the questions. I got the impression that some of them did not see the relevance of the survey and were bored. E.g., one participant gave the statement "I wonder how long this damn survey is going to go on for?". This attitude may be due to the absence of an instructor who could have explained the relevance in detail and contributed to the personal commitment of the participants. According to Robson and McCartan (2016) "[t]he problem of securing a high degree of involvement by respondents to a survey is more intractable [...] when it is carried out

by post or the Internet" (p. 247). To compensate the negative effect of the self-administered approach, I removed ten university students from my data who answered just one or two questions in one of the survey's parts.

Furthermore, I want to address the internal validity of my study as discussed by Stiles (1993). He introduced methods to enhance validity.

Triangulation is one of them and encompasses several aspects. According to data triangulation, I used a self- and a group-administered approach of data collection in my study. Besides, methodological triangulation was done because I combined qualitative and quantitative methodologies to answer my research questions. According to theory triangulation I engaged with several theories concerning learners, representations and the relation between both before I started my research. Besides, investigator triangulation played an important part in my research. To validate the content categories, the analysis categories and the coding I asked an independent researcher to be my interrater and to engage with subsets of the data. Afterwards, several aspects were discussed until consensus was reached (see chapter 6. B. 3.).

Besides, similar to Eriksson (2014) coherence "was addressed by continuously checking the interpretations made with the original data" ([6], p. 158). Thus, the evolving categories "were found not to be contradictory but to present unified interpretations of the expressed meanings in the data" ([6], p. 158).

Finally, in terms of *reflexive validity* I described in detail which prior expectations I had before the analysis as well as how they were changed by the data (see chapter 6. B. 1.).

6. B. 2. 2. External validity

Finally, I want to address the external validity or generalizability of my research.

Faultiness of the sampling is one type of external validity problem [30]. Since my study involved a small-scale survey, a non-probability sample was employed (see [30], p. 279). This approach is "acceptable when there is no intention or need to make a statistical generalization to any population beyond the sample surveyed" ([30], p. 279). I aimed at interviewing specific groups, i.e. high school and university students and teachers. Thus, my sampling may also be referred to as "purposive" ([30], p. 279). The data I gained from all groups of participants was useful, apart from the above discussed and compensated restrictions. Furthermore, I could not find remarkable differences in the data within a type of participants in terms of educational background, e.g. all high school students answered in a versatile but overall similar way. In addition, the spread

concerning the educational background of my participants turned out to be good, and thus the sampling of my study was appropriate.

"Another type of external validity problem occurs if we seek to generalize from what people say in a survey to what they actually do" ([30], p. 247). Since, as mentioned above, within a type of participants the answers are versatile but overall similar, I cannot find any traces of this being an issue.

6. B. 3. Objectivity versus bias

I have already discussed issues related to *investigator's bias* in detail, when talking about *Disclosure of orientation*, *Description of internal processes* and *Reflexive validity*. Therefore, I argue that I have intensively engaged with being biased as an investigator and put a lot of effort in avoiding negative effects on my results. This chapter focuses on the interrater reliability, i.e. how the interrater affected the analysis and contributed to the objectivity of my results. Furthermore, I want to address participants bias.

6. B. 3. 1. Interrater reliability

In general, interrater reliability means that two or more independent coders agree to a certain extent when assigning statements to categories [19]. For my study I did not aim to achieve high interrater reliability, but I rather aimed to have a second opinion. Thus, I asked a colleague from the Physics Education Research group at CERN to assign 10% of the data, i.e. the statements given by 18 participants, to the analysis categories as well. The data table including the interrater's and my coding is attached (see chapter 10. B.).

Concerning the statements about the video, the relative compliance is 0,67 which is an acceptable value. When considering the questions individually, two show perspicuous differences between the interrater and me (see chapter 10. B. 1.) which lowered the overall relative compliance.

Concerning the user interface, the relative compliance is 0,57 which is an usatisfying value. However, when considering the questions individually, it is again perspicuousous that the overall relative compliance is lowered by the low compliance values relating to three questions (see chapter 10. B. 2.).

The differences in coding between the interrater and me were caused by various aspects.

The fist one is the imprecision of the corresponding category definitions. Thus, I revised them. E.g., concerning the user interface I clearified that it is "Disciplinary Explanation" to relate the bright dots to the energy deposit of particles.

Moreover, the interrater coded some statements as "None" which must not be assigned to this category or did not code some statements as "Double coding",

although they were given more than once by the same participant. Besides, as I did when starting to code the data, the interrater chose high-level discernment (e.g., "Disciplinary Evaluation") too often. Thus, I highlighted in the definition of categories that the lower Levels of Discernment are necessary for high-level ones.

Furthermore, some statements mention various aspects and thus, can not be coded unambigiously.

Finally, some differences are because I was mistaken when choosing a category which is unavoidable regardlessly how often I code the data.

6. B. 3. 2. Participants bias

As mentioned earlier the participants of my study differ in terms of their educational background which is essential to answer my research questions. In addition, to these desired educational differences there are ones related to their visit at CERN as described in chapter 5. The international participants of my study have more prior knowledge about particle physics than regular high school and university students and teachers. This results in limitations for the generalizability of my results. I will address this issue separately for all three types of participants in the following.

At first, the teachers are discussed. When comparing the statements given by the internationals and the Germans, there are some differences. The international long-term visitors at CERN attended lectures and workshops about challenges when and recommendations for teaching particle physics. Thus, they are used to analyze materials in terms of their usability for teaching purposes. Their main guide during their stay at CERN was my colleague Jeff Wiener. A few participants mentioned him in their statements and thought about his opinion on the visualizations, e.g.:

- "As Jeff mentioned on Friday, students might think that the orbitals are #inside# the atoms, that the atoms are containers made of something different."
- "I wonder what Jeff thinks of the colour scheme of the atoms and their representation as spheres or with electron orbitals."
- "Jeff won't like this it looks like the spheres are something"

Considering these quotes, the bias, i.e. the additional prior knowledge due to the lectures, is obvious. However, I could not find any traces of this being an issue in the data because the results of the German and the international teachers are similar. In my opinion the positive effect on the prior knowledge of the internationals and the negative effect of the lacking language skills balance out overall. Thus, I argue that the participant's bias is not an issue concerning the teachers.

Then, I want to focus on the university students. Similar to the international teachers the university students have to attend lectures about particle physics. Thus, it is likely that their prior knowledge is higher than regular students' one, but it is not possible to generalize this. Firstly, the internationals are not obliged to attend these lectures and secondly, not all of them are physics students. Besides physicists there are engineers and computer scientists among the summer students, undergrads and graduates. Thus, I argue that the positive effect of the additional lectures and the negative effect of not being physicists even out overall. This claim is confirmed by the data since I could not find any traces of participant's bias being an issue concerning the international students.

Finally, the high school students are addressed. There are no differences when comparing the Germans and the Austrians. Both groups of participants answer the questions similarly in terms of length and apparent effort and the average age is the same. However, there are differences in comparison to the international high school students. They are not only older on average but also biased towards physics. The selection process for the Summer Camp is though and thus, only extraordinarily interested and motivated students apply. Regular high school students visit CERN with their teachers as a school trip, whereas the Summer Camp participants apply of their own accord and with a lot of effort. In addition to this bias, the internationals must attend lectures and workshops and intensively engage with particle physics. Thus, I claim that they can even be counted among the university students in terms of prior knowledge. However, I claim that as long as this bias is considered when interpreting the data, it has no negative influence on the results of my study. Since the focus is on what persons with various prior knowledge discern from visualizations, it does not matter whether the university students or a particular group of high school students knows more beforehand.

7. ANALYSIS

An interpretative-hermeneutic approach was used to analyze the answers of the participants as described in the chapter 4. C. To answer the research questions the statements of the participants were read several times to get a good overview. Then content categories for both visualizations were constructed, which were further divided into groups of analysis categories. Afterwards the statements of the participants were assigned to the analysis categories.

7. A. Video "Voyage into the world of atoms"

When analyzing the video there were two approaches for the assignment process: The initial was categorization per individual person, the final was categorization per single statement.

7. A. 1. Initial approach

The initial approach was to categorize the answers per individual participant. All statements of one participant were read to get a common impression which allowed to choose one *Level of Discernment* per person as described in chapter 1. A. 2. The choice was made according to the highest level the person showed throughout the survey. E.g., if the respondent evaluated the affordances of the video in one statement, the level *Disciplinary Evaluation* was chosen. For categorization per person only the participants who answered all the question were taken into consideration.

Firstly, the participants' levels of all groups who saw the **unlabeled videoclips** were compared with each other, i.e. German high school students and teachers. Both groups were short-term visitors at CERN.




CHART 1: Categorization per person: Participants [%] per Level of Discernment – Unlabeled videoclips

CHART 1 shows the percentage of participants per Level of Discernment for the German high school students and teachers who saw the unlabeled clips, whereby the Levels of Discernment are plotted on the x-axis and the relative number of participants on the y-axis. The **teachers** are represented by the **green** bars and the **students** by the **blue** ones. Due to educational background and disciplinary knowledge teachers are more likely to discern disciplinary affordances of a representation. Moreover, they are mainly found on the level of Disciplinary Evaluation, whereas students tend to focus on non-disciplinary affordances.

Secondly, the participants' levels of groups who saw the **labeled videoclips** were compared with each other, namely of the international high school students, university students and teachers.⁶ For categorizing the data concerning the labeled clips the definition of each category was slightly changed, since more disciplinary information is explicitly given than in the unlabeled clips. Therefore, it is not possible to compare the values for both versions of the video with each other when using this approach.

CHART 2 shows the percentage of participants per Level of Discernment for the groups who saw the labeled clips. Again, the Levels of Discernment are plotted on the X-axis and the relative number of participants on the Y-axis.




CHART 2: Categorization per person: Participants [%] per Level of Discernment

- Unlabeled videoclips

The international **teachers** are represented by the **green** bars and are the most likely to be on *Disciplinary Evaluation* level compared to the other groups. However, more than 20% of the international teachers are found on *Disciplinary Identification* level. This may be a consequence of the poor English skills of several international teachers which became obvious when reading all the statements of individual participants as mentioned in chapter 6. B. 2. 1.

⁶ The answers of the Austrian high school students were not analyzed with this initial approach, since they participated in my survey at a later time.

As shown in CHART 2 the international **university students** represented by the **grey** bars are distributed in a similar way, i.e. one peak on *Disciplinary Evaluation* level and another one on *Disciplinary Identification* level. It is clear that the former is due to the high disciplinary knowledge of most of the summer students. Concerning the latter one must consider that the summer students have various educational backgrounds, e.g. physics, computer science and

engineering. Thus, their disciplinary knowledge differs and as a consequence more than 15% of them are assigned to the *Disciplinary Identification* Level. This assumption becomes even more likely when distinguishing between summer students with physics background and those without (see Table 5). As listed in Table 5 30% of the summer students without physics background are found on *Disciplinary Identification Level*.

TABLE 5: Percentage of physics and other **summer students** per *Level of Discernment*

	Physics Summer Students	Other Summer Students
Disciplinary Evaluation	38%	20%
Disciplinary Appreciation	23%	20%
Disciplinary Explanation	23%	10%
Disciplinary Identification	8%	30%
Non-Disciplinary Discernment	8%	20%

The international high school students are

represented by the **green** bars in CHART 2. Their distribution is linear, i.e. the percentage of participants per level increases with increasing *Level of Discernment*.

In general, the outcomes of categorization per person underpin that the Anatomy of Disciplinary Discernment is a suitable and valid model for analyzing representations in particle physics. Therefore, the data was further analyzed with reference to the ADD, although the categorization approach was changed as described in the following.

7. A. 2. Construction of content categories

Similar to the study by Eriksson et al. (2014) the aim of my study was to analyze the participants' discernment with respect to two aspects: Firstly, the focus was on what was noticed, and secondly, on how it was interpreted.

The initial analysis approach rather focused on the latter aspect. Thus, the approach for categorization was changed after a video call with Urban Eriksson who explained that Eriksson et al. (2014) assigned every single statement to a category when analyzing data for their study. Furthermore, we agreed that categorization per statement is not only better but rather crucial because some aspects of the data may be counted as less important than others or be even overlooked when categorizing per participant.

The aim of the final approach for data analysis in my study was to consider both aspects, noticing and interpretation, equally and hence, all statements were assigned to categories.

At first, the focus was on what was noticed to answer the first research question (see chapter 2.). Seven content categories of statements showing different noticing and interpretation with respect to particle physics emerged, when engaging repeatedly with the data. These are

Zoom identification, Emergence of particle model awareness, Relative size, Growth of particle model awareness, Identification of representation as model, Critique of model-like representation and Advanced particle model awareness. In Table 6 the content categories are characterized, and details of their construction are provided.

TABLE 6: Definition of **content categories** (cf. [7], p. 425)

	Discernment Detail Central man-			
Content cat-	Discernific	What mean-	ifestation	Contemplation Questions that
	What is no-		characteris-	
egory	ticed?	ing is as-		the participants
	-	signed?	tic	ask
	Zoom, enlarge-	Zooming into a	Detecting	And if I go outside
	ment	human hair to	zoom	the hair, in space?
Zoom		discover the		I wonder if there is
identification		structure of		an end, does it
		matter: e.g. at-		stop at a moment
		oms, protons,		or can we zoom in
		quarks		forever?
	The internal struc-	Matter has in-	Seeing smaller	I wonder how far
_	ture of a hair: fibril	ternal structures	parts within	you would have to
Emergence of	structures, parti-	and properties	bigger parts	zoom in to see the
particle	cle systems (e.g.,	Particle systems		nucleus/individual
model aware-	protons), particles	(e.g., protons)		quarks.
ness	(e.g., quarks)	are made of		What can be in-
		particles (e.g.,		side the quark?
		quarks)	_	
	Particle systems	Different ob-	Comparing	I wonder how
	and particles	jects are com-	objects in	small the quarks
	(e.g. atoms, nu-	pared in terms	terms of size	are.
Relative size	cleus, quarks) dif-	of their relative		How small is the
	fer in size	size		nucleus compared
	AND/OR			to orbitals?
	magnitude scale			What means
	is noticed			"pm"?
	The empty space	Between the	Contemplation	I wonder what this
	between the	particles is	of the empty	space is filled with.
Growth of	components of	empty space	space	How much empty
particle	matter (e.g. parti-			space is there re-
model aware-	cle systems, parti-			ally between each
ness	cles)			"component"?
				I wonder how
				much of matter is
				just vacuum.
	Particle systems	To represent	Contemplation	How can we know
Identification	and particles are	particles mod-	of the 'spheri-	there are balls?
of representa-	represented as	els must be	cal' particles	Are any of these
tion as model	balls	used		particles actually
				spherical?
				cont.

69

	The spherical sur-	The representa-	Reflection on	I wonder if the stu-
Critique of	face representing	tion of atoms or	representa-	dents think that the
model-like	an atom or a nu-	nucleons as balls	tion of atoms	proton is a con-
	cleon remains,	containing other	or nucleons	tainer for quarks. Do
represen- tation	even though al-	balls is mislead-	as spheres	atoms have an out-
Idilon	ready being at a	ing		side spherical sur-
	smaller scale			face like this?
Advanced	Particle systems or	Fundamental in-	Contempla-	Where are the glu-
particle	particles stick to-	teractions are	tion of funda-	ons?
•	gether without fun-	not visualized	mental inter-	Is it possible to visu-
model	damental interac-		actions	alize the force that
awareness	tions			binds the particles?

These categories were constructed for categorizing the statements of the participants according to disciplinary content. All of them are rooted in the discipline, as they include discernment descriptions grounded in particle physics concepts, except for the first category Zoom identification. Therefore, there are six categories of discernment related to the discipline of particle physics. The level of discernment increases, i.e. participants in the category of Advanced particle model awareness seem to have more disciplinary knowledge than the ones in the category of Critique of model-like representation and so on.

7. A. 3. Definition of analysis categories

After construction of the content categories the analysis focused on correspondence to the Levels of Discernment to answer the second research question (see chapter 2.). Thus, analysis categories were defined as shown in TABLE 7. In addition to the Levels of Discernment three further categories were defined, namely None, Missing value and Double coding. This was done to fulfil the rules for coding introduced in chapter 4. C. 2.

TABLE 7: Definition of analysis categories according to Eriksson et al. (2014) (cf. [7], p. 172ff)

Letter	Analysis category	Description	Corresponding content categories
Α	Non-discipli- nary Dis- cernment	 Participants do not know what they are seeing [7]. notice different structures and begin to reflect on what these may be [7]. focus on the experience offered by the zoom. ⇒ "What is?" 	Zoom identification
			cont.

	1		T
В	Disciplinary Identification	 Participants focus on certain parts of the video and distinguish what these afford from a disciplinary point of view [7]. identify representations of particle-systems and particles at different scales. ⇒ "This is!" 	Emergence of particle model awareness
С	Disciplinary Explanation	 Participants explain and assign disciplinary meaning to the discerned objects [7]. start to use their disciplinary knowledge to interpret what they see in terms of particle physics [7]. compare particle-systems and particles in terms of their relative size and use the concept of empty space. ⇒ Shift from the what-towards a why-perspective 	Relative size, Growth of particle model awareness
D	Disciplinary Apprecia- tion	 Participants analyze and acknowledge "the value of the disciplinary affordances of the representation" ([7], p. 174). "combine disciplinary knowledge [] to build a holistic understanding of what the representations are intended to afford" ([7], p. 174). realize that models are used to visualize particle-systems and particles. ⇒ Previous disciplinary explanation is necessary for appreciation 	Identification of representation as model
E	Disciplinary Evaluation	 Participants analyze and criticize the model-like representation used for visualizing particle-systems and particles. evaluate the representation in terms of its usability for teaching practice [7]. ⇒ Shift from appreciation towards positive as well as negative critique 	Critique of model-like rep- resentation, Advanced par- ticle model awareness
N	None	Answers like "none" or "nothing"	
М	Missing Empty answers or answers that shall be counted as		
	value empty (e.g., "-")		
Х	X Double cod- Answers given more than once by a respondent		
	ing	(except for "Missing value" and "None")	

Single statements given by the respondents were assigned to the analysis categories using a letter for identification (see chapter 4. C. 3.).

7. A. 4. Categorization of statements

All statements were assigned to the analysis categories defined in chapter 7. A. 3. Some exemplary statements for each analysis category are listed below. They comprise of the

corresponding content categories and other aspects, which are characteristic for each *Level* of *Discernment* as described in TABLE 7. The statements are direct quotes from the data, whereby German ones were translated into English. Since it does not matter for defining the categories, whether the statements have been given by students or teachers, this information is not provided.

7. A. 4. 1. Non-disciplinary Discernment

- Zoom identification: "I enjoy the zoom aspect of things like these", "It's getting smaller and smaller", "Zooming in", "Zoomed in well"
- Fascination: "It's cool to see it visualized like it is done in the video.", "I really have to appreciate the visuals, they're beautiful, but I think they need to be a little brighter", "The fascinating world of the smallest particles"
- Lack of disciplinary knowledge: "What exactly is that?", "The atoms have a solid nucleus", "I realized that the quarks spin within the proton"

7. A. 4. 2. Disciplinary Identification

• Emergence of particle model awareness: "I did know about keratin in our hair but didn't know it has oxygen and nitrogen in it", "Atomic model", "Components of protons", "This is the nucleus", "Structure of the nucleus", "Quarks"

7. A. 4. 3. Disciplinary Explanation

- Relative size: "The different layers of a single hair and their relative sizes", "How tiny
 the nucleus is, in comparison to the whole atom", "Wow, the nucleus is MUCH
 smaller than the span of the electron orbitals!", "How small protons and neutrons
 are"
- **Growth of particle model awareness:** "The size of the quarks relative to the proton shows that the nucleus is mostly empty space", "I notice how much empty space there is in the microscope world"
- Further disciplinary knowledge: "I wonder how protons and neutrons stay together inside the nucleus (they say It's the strong force)", "The mass of the constituent quarks inside the proton is not equal to the mass of the proton"

7. A. 4. 4. Disciplinary Appreciation

• Identification of representation as model: "It's just a model and I lost track at which point we switched from 'This is how a hair looked like in close up' to 'That's a model of an atom'", "Anything at a very small scale is just a model because those things are impossible to see visually", "I know that the representation of particles is just a model and we don't know what it really looks like but it seems like this is a good representation"

• Appreciation as learning aid: "The scale is very helpful to visualize the dimensions of the particles and the whole video really helps you understand what each component is made of to the smallest elementary particles", "The video gives a good sense of starting from the macroscopic world and zooming into the subatomic", "It is good, that the size of nucleus is so obviously smaller than size of atom in this video", "It gives an ok visualization of the emptiness that is within an atom"

7. A. 4. 5. Disciplinary Evaluation

- Critique of model-like representation: "I'm irritated by the structure of the surface of the proton. It is just a model and there is no need for the proton to have this 'wobbly' surface.", "It should be emphasized that this is just a model"
- Advanced particle model awareness: "Gluons are missing", "What about gluons?",
 "No gluons! : ("
- Further critique: "This did a good job of emphasizing how small the nucleus is compared to the atom, although they seemed to have dropped the actual size labels next to the name labels which is disappointing", "Making the nucleus 'glint' as the camera approached was a bit silly", "It might have been worth showing that the nucleus is not a static lump of protons and neutrons in fixed positions"

7. A. 5. Results

At first, I compared the relative amount of statements per group of participants in the categories "Missing value" and "None" with the relative amount of statements assigned to one of the Levels of Discernment (see TABLE 8).7

TABLE 8: The relative amount of **statements** [%] in the categories "**Missing value**" and "**None**" (1st and 2nd row) and the sum of both (3rd row), as well as the relative amount of **statements** [%] assigned to one of the **Levels of Discernment** (4th row) and the category "**Double coding**" (5th row) are listed.

	Higl	n school stud	ents	University	Tea	chers
	German	International	Austrian	students	German	International
None	16%	15%	18%	17%	21%	7%
Missing value	13%	11%	12%	20%	5%	15%
None + Missing value	29%	26%	30%	37%	26%	22%
Levels of Discernment	64%	66%	67%	57%	63%	72%
Double Coding	7%	8%	3%	6%	11%	6%

⁷ In this regard it is important to mention that the answer "None" was mainly given, when asked, what - if any - "I wonder"-questions the clip raised for the participants.

In average 28,5% of all statements given by a group of participants were assigned to the category "None" or "Missing value" (3rd row). The values for each group are overall similar and close to average, with two exceptions. Firstly, the international teachers gave the least amount of such statements (22%), which indicates that they took the survey especially consciously. In contrary to that, a total of 38% of statements given by the university students were assigned to the categories "None" or "Missing value". This comparatively high amount may be due to the self-administering approach as discussed in detail in chapter 6. B. 2. 1.

In average 65% of the statements were assigned to one of the Levels of Discernment (4th row). When comparing the different groups of participants, the above-made assertion is underpinned, since the international teachers have the largest relative amount of statements assigned to one of the Levels of Discernment (72%), whereas the international university students have the least (57%).

Then, I analyzed how the statements are distributed among the individual Levels of Discernment. When doing so, only the statements assigned to the Levels of Discernment were taken into consideration. The relative number of statements assigned to the category "Double coding" (5th row) was not included in the analysis, because each statement must only be counted once, although the statements would have been rated among the Levels of Discernment.

The distribution of statements within the Levels of Discernment is shown in TABLE 9. The columns are sorted by the different groups of participants, whereby they are clustered according to educational background. The rows are sorted by the Anatomy of Disciplinary Discernment, whereby the Levels of Discernment rise from bottom to top.

In TABLE 9 the relative number of participants in each category differs for the different groups. The differences are even remarkable, when only comparing within a certain cluster of participants. However, there are two main causes for these differences. Firstly, discernment depends on the representation and its affordances and secondly, on the participants and their prior knowledge.

Concerning the representation and its affordances, when interpreting the data, one must consider that the groups of participants saw different versions of the video, i.e. with and without labels. By comparing groups, which have the same educational background but have not seen the same version, it is possible to draw conclusion, whether labels are learning aids or obstacles.

Concerning the participants and their prior knowledge, the participants have various educational backgrounds as well as different programme at CERN. By comparing groups, which have seen the same version of the video, the effect of prior knowledge can be analyzed.

These aspects are discussed separately for the three clusters of participants, and afterwards parallels and differences between the results are pointed out.

TABLE 9: Distribution of statements [%] within the Levels of Discernment

	Higl	n school stud	ents	University	Tea	chers
	German	International	Austrian	students	German	International
Disciplinary Evaluation	2%	6%	0%	9%	14%	15%
Disciplinary Appreciation	5%	11%	2%	6%	7%	8%
Disciplinary Explanation	14%	23%	10%	17%	8%	13%
Disciplinary Identification	23%	22%	49%	28%	37%	28%
Non-disciplinary Discernment	56%	38%	39%	40%	34%	36%

At first, the focus is on the high school students, and in especial on the German and the Austrian group. Both were short-term visitors at CERN and thus, their educational background was similar. However, there is a major difference between these groups. While the former saw the not labeled version of the video, the latter saw the labeled version.

As listed in TABLE 9 56% of statements given by the German high school students were assigned to the category "Non-disciplinary Discernment", whereas it is only 39% of answers given by the Austrians. This means that the group who had additional, descriptive labels was way less likely to discern non-disciplinary affordances.

Concerning the German high school students, the higher the Level of Discernment is, the lower is the relative amount of statements as listed in TABLE 9. The outcome is overall similar concerning the Austrians, with another considerable difference. The highest relative amount of statements, namely 49%, was assigned to the category "Disciplinary Identification". Thus, I argue that the descriptive labels enabled this group to at least identify and name what they have seen.

One may raise the objection that less statements were assigned to "Disciplinary Identification" because slightly more statements were assigned to the highest three Levels of Discernment. In total, only 44% of statements given by the German high school students were assigned to one of the Levels of Disciplinary Discernment, i.e. not to the category "Non-disciplinary Discernment", whereas it is 61% of the Austrians' statements. Since the slightly higher number of statements in the highest three Levels of Discernment does not even out the low number on the level of "Disciplinary Identification", when all Levels of Disciplinary Discernment are considered, the objection is disproven.

Furthermore, I want to emphasize that the German high school students were at CERN, in contrary to the Austrians. Thus, it is likely that their prior knowledge is higher than the Austrians' who have not heard anything about particle physics before participating in my survey. Nevertheless, the latter showed more disciplinary discernment than the former.

Then, I want to compare the results of the Austrian high school students with the third group in this cluster. The international high school students were long-term visitors at CERN who participated in the S'Cool LAB Summer Camp. As described in detail in chapter 6. B. 3., it is likely that their prior knowledge is higher than of average high school students.

Concerning the representation and its affordances, the Austrian and the international high school students saw the labeled videoclips. The relative amount of "Non-disciplinary Discernment" statements is similar for both groups, namely 39% of the statement given by the Austrians and 38% of the statements given by the internationals as listed in TABLE 9. Accordingly, 62% of statements given by the internationals and 61% of those given by the Austrians were assigned to one of the Levels of Disciplinary Discernment, i.e. not to the "Disciplinary Identification" category. This parallel supports the above-made assertion that descriptive labels enable the learners to focus on the disciplinary affordances of a representation and to identify at least what they see.

Nevertheless, there is a crucial difference between the results of both groups which concerns the amount of statements in the highest three Levels of Discernment. Whereas only 12% of statements given by the Austrian high school students were assigned to these categories, it is 40% of the ones given by the internationals. The high amount of high-level disciplinary statements underpins the claim that their prior knowledge is better than average. Moreover, they achieved the highest values of "Disciplinary Explanation" (23%) and "Disciplinary Appreciation" (11%) in comparison with all groups of participants. This supports the finding by Eriksson et al. (2014) that the higher the prior knowledge of learners is, the more likely they are to discern disciplinary aspects of a representation.

Furthermore, the focus is on the international university students who were long-term visitors at CERN and saw the labeled version of the videoclips. As explained in chapter 7. A. 1., the educational background varies within this group because there are physicists, engineers and computer scientist, graduates and undergrads subsumed under the cover term "Summer Student". However, since they are long-term visitors at CERN, they must attend lectures, and thus their prior knowledge about particle physics is likely to be higher than average. Their statements are distributed among the Levels of Discernment in such a way that the higher the level is, the lower is the relative amount of statements as listed in TABLE 9. However, there is a considerable exception, namely that more statements were assigned to the category "Disciplinary Evaluation" than to "Disciplinary Appreciation".

Finally, the focus is on the teachers. The international teachers were long-term visitors at CERN who had to attend lectures about particle physics and thus, they are likely to have higher prior knowledge about particle physics than average teachers do. They saw the labeled version of the videoclips. In contrary to that the German teachers were short-term visitors and saw the

unlabeled videoclips. When comparing the two teacher groups, one must consider these two major differences.

Both groups attained similar amounts of statements in the category "Non-disciplinary Discernment". As listed in TABLE 9 it is 36% for the international teachers and 36% for the German. This means that the relative number of statements assigned to one of the Levels of Disciplinary Discernment, i.e. not to the category "Non-disciplinary Discernment", are similar as well. In addition, as regards the levels "Disciplinary Appreciation" and "Disciplinary Evaluation", there is no considerable difference between both groups either. To the former 8% of statements given by the internationals and 7% of those given by the Germans were assigned, and to the latter 15% or 14% of statements.

However, there are considerable differences apparent, when comparing the amount of statements in the categories "Disciplinary Identification" and "Disciplinary Explanation". Whereas on the lower level the relative amount of statements given by the Germans is higher (37% to 28%), it is the other way around on the higher level (8% to 13%). In my opinion there are two crucial factors which led to these results. Firstly, due to the descriptive labels the international group did not have to find out what they were seeing. Thus, they could focus on why the discerned objects were represented in a certain way. Secondly, their prior knowledge is likely to be higher which may cause a shift from mere identification to explanation.

Then, the results of the three clusters of participants are compared with each other. For further analysis I visualized the data listed in TABLE 9. The relative amount of statements per Level of Discernment for all groups is shown in CHART 3. The Levels of Discernment are plotted on the x-axis, whereby the Level of Discernment rises from left to right. The relative number of participants is plotted on the y-axis. The colors of the bars represent different groups of participants who saw different versions of the video as explained in the legend.

At first, the focus is on the comparison of high school and university students. In CHART 3 the German high school students are represented by the dark blue bars, the international by the light blue and the Austrian by the green bars, whereas the international university students are represented by the orange bars.

The amount of high-level discernment of the university students is higher compared to the German and Austrian high school students. This is another indication for the correlation between prior knowledge and disciplinary discernment.




CHART 3: Relative amount of statements per Level of Discernment

When comparing the international high school and university students, there is an interesting finding. More statements assigned to the highest three Levels of Discernment were given by the former (40%) than by the latter (32%). In my opinion this is due to the differing administering approach as described in chapter 6. B. 2. 1. I was present, when the high school students filled in my survey and they were extraordinarily interested and motivated, and thus they put a lot of effort in answering the questions. In contrary, the university students received the survey per e-mail and could fill it out whenever and wherever they wanted without supervision. When reading and comparing the statements of all participants, it is apparent that the university students' ones tend to be shorter and less precise than the others.

Then, the results are further compared with the teachers. The **German teachers** represented by the **pink** bars saw the unlabeled videoclips, whereas the **internationals** represented by the **red** bars saw the version with labels. There are two considerable differences in comparison to the other groups.

Firstly, the teachers gave the least amount of non-disciplinary statements which may be due to higher prior knowledge as argued above.

Secondly, the largest amount of statements assigned to the category "Disciplinary Evaluation" was given by the teachers. When analyzing this finding, one must not only consider the higher prior knowledge of the teachers, but also their professional way of thinking. The attitude of different clusters of participants vary. Concerning the teachers, evaluate representations in terms of usability for teaching practice is part of their professional attitude. Apart from the prior

knowledge, this may also cause the high percentage of statements on "Disciplinary Evaluation" level.

Finally, the effect of descriptive labels concerning the different clusters of participants is discussed. As mentioned above, the positive effect is especially apparent within the cluster of high school students, since it leads to a large shift from "Non-disciplinary Discernment" to "Disciplinary Identification" statements. Concerning the teachers, they also cause a shift from "Disciplinary Identification" to "Disciplinary Explanation", although the effect is less pronounced.

7. A. 6. Recommendations for improvement

While evaluating the answers of the participants, various aspects of the video were directly criticized by the participants or caused difficulties indirectly. These are listed below together with recommendations for improvement.

• The representation of particles and particle systems as spheres with wobbly surface reinforce inaccurate preconceptions about particles as described in chapter 1. A. 1. 1. In this regard it is especially problematic that at some zoom levels these spheres do not even disappear, but remain as outside shields, when zooming further in. E.g., the electron orbitals are surrounded by a sphere representing the atom and the quarks are inside a proton-sphere.

The video could easily be improved by using a smooth model-like surface, instead of the pseudo-relistic wobbly one, as well as by letting the outside shields disappear, when zooming in.

Moreover, the typographic illustrations developed by Wiener et al. (2017) could be used instead of the spheres, which underline the model-aspect of the representation.

The continuous cloud-like representation of electron orbitals is also misleading and reinforcing the above-mentioned preconceptions. Thus, it should be explained that this
represents the space where an electron can be located with a certain probability.

As a minimum, the video could be improved by representing the electron density distribution as dot-cloud which depict the results of many location measurements. As described by Müller and Schecker (2018), such an illustration would be the most appropriate in terms of the quantum physical model of the atom.

Again, a further improvement could be the typographic approach developed by Wiener et al. (2017).

 Many participants thought about the movement of the quarks that make up the proton, since it caused confusion. They may be moving, in contrary to the static representation of the particle-systems, to underline that they are the elementary particles. Furthermore, the colors of the quarks have been subject to assumptions, since they do not

- appropriately represent the color charge. Thus, a revision of the representation of the quarks is recommended.
- The interactions, e.g. gluons, are not represented. When using a typographic approach,
 they could easily be included.
- Since. in accordance with the multimedia principle, the combination of visualization
 and descriptive labels resulted in more high-level discernment, the use of the labeled
 video is recommended for teaching practice. The text could further be improved by
 linguistic accuracy as introduced by Wiener et al. (2017).
- To further foster learning from the video, the **descriptions** could be **spoken** rather than written as recommended by the *multimodality principle*.

7. B. User interface "Pixelman"

7. B. 1. Construction of content categories

The user interface was analyzed in a similar way as the video "Voyage into to world of atoms". At first, content categories concerning the representation of a measurement with the pixel detector MX-10 and the user interface "Pixelman" were defined to answer the first research question (see chapter 2.). There was a total of eight content categories, namely Color differences, Coordinate system, Relative energy deposit, Representation of pixel detector data, False colors, Particle tracks, Absence of labels, and Shape of the representation. These are listed and characterized in TABLE 10.

TABLE 10: **Content categories** of the representation of a measurement with a pixel detector and user interface *Pixelman* [7]

Content	5.		Central mani-
	Dis	scernment Detail	festation
category	What is noticed?	What meaning is assigned?	characteristic
Color dif-	Dots of lighter color	Lighter colors indicate radiation	Contemplation
	on a dark back-		of color differ-
ferences	ground		ences
	The numbers that	The coordinate system uses numbers	
Coordi-	frame the image be-	to determine the position of energy	Identification
nate sys-	long to the horizontal	detection	as coordinate
tem	and vertical axis of a		system
	coordinate system		

cont.

	Dots differ in color	Different dots are compared in	
		·	
	according to their	terms of energy based on their	Dalastina, a alam
Dalailla.	energy,	color,	Relating colors
Relative	The color map on the	The color map connects the colors	and deposited
energy	bottom of the image	and the corresponding amount of	energy,
deposit	refers to the de-	detected energy	Explaining the
	tected energy	⇒ The brighter the color, the higher	color map
		is the energy deposited by the radi-	
		ation	
	The bright dots per-	The dots represent deposited en-	
	tain to particles that	ergy detected by the chip of a pixel	
Poproson	hit the detector chip,	detector,	Identification
Represen-	The image represents	The measurement is displayed with	
	a measurement with	a user interface that uses a color	as representa- tion of a meas-
pixel de-	a particle detector	map to indicate the amount of de-	
tector data	and a user interface	posited energy per pixel as well as a	urement
		coordinate system to determine the	
		position of the pixel	
	The color map uses	The amount of detected energy per	Contemplation
False col-	false colors	pixel is indicated by false colors	of the colors
ors		since the detected radiation itself is	used in the
		not visible	color map
	A single particle influ-	Different particles can be distin-	
Danki a la	ences more than	guished by the specific track they	Comparing
Particle	one adjoining pixel	leave in the detector chip	detected parti-
tracks	of the particle detec-		cles
	tor		
	Absence of descrip-	The axes and the color map are not	Reflection on
Absence	tion of the axes and	labeled properly, since they are not	the intuitive
of labels	the color map	explained by titles or units	user guidance
			of the interface
Ch	The representation of	Although the detector chip is square	Contemplation
Shape of	the measurement is	shaped, the measurement's repre-	of the shape of
the repre-	rectangular	sentation is rectangular	the represen-
sentation			tation

In TABLE 10 the content categories are arranged according to increasing level of discernment. The first content category, *Color differences*, is not related to the discipline of particle physics

unlike the other categories. Thus, there are seven content categories of disciplinary discernment.

7. B. 2. Definition of analysis categories

The content categories were divided into groups to construct analysis categories to answer the second research question (see chapter 2.). Like the analysis categories concerning the video, each category was indicated by a letter, which were used to assign single statements to a certain category when analyzing the data. The analysis categories are listed and characterized in TABLE 11.

TABLE 11: Definition of **analysis categories** according to Eriksson et al. (2014) ([7], p. 172ff)

IADLE	i i. Delii iiiloli ol an	alysis categories according to Eriksson et al. (20	14) ([/], þ. 1/211)
Letter	Analysis cate- gory	Description	Corresponding content catego- ries
A	Non-discipli- nary Discern- ment	Participants	Color differences
В	Disciplinary Identification	 Participants focus on certain parts of the user interface and distinguish what these afford from a disciplinary perspective [7]. recognize the coordinate system and relate colors to energy levels. 	Coordinate system
С	Disciplinary Ex- planation	 Participants explain and assign disciplinary meaning to the discerned aspects [7]. start using their disciplinary knowledge to interpret what they see [7]. identify the image as representation of a measurement. relate the brighter dots to the energy deposit of particles that hit the detector chip. 	Relative energy de- posit, Representation of pixel detector data
		•	cont.

		Participants	
D	Disciplinary Appreciation	 analyze and acknowledge "the value of the disciplinary affordances of the representation" ([7], p. 174). "combine disciplinary knowledge [] to build a holistic understanding of what the representations are intended to afford" ([7], p. 174). identify different types of particles due to their specific track. ⇒ Previous disciplinary explanation is necessary for appreciation 	False colors, Particle tracks
E	Disciplinary Evaluation	Participants • analyze and criticize the representation used for an intended affordance [7]. • evaluate the representation in terms of its usability for teaching practice [7]. ⇒ Shift from appreciation towards positive as well as negative critique	Absence of labels, Shape of the repre- sentation
N	None	Answers like "none" or "nothing"	
M	Missing value	Empty answers or answers that shall be counted as empty (e.g. "-")	
Х	Double coding	Answers given more than once by a respondent (except for "Missing value" and "None")	

7. B. 3. Recognition as representation of a measurement

When evaluating the representation of a measurement with user interface "Pixelman", the first question of the survey, i.e. "What do you think the image represents as a whole?", may be the most interesting. By analyzing the corresponding answers five main categories were elaborated, namely Pixel detector, Particles, Astronomical image, Collision, and Others. CHART 4 shows the percentage of participants per answer category for the first question of the survey.

The answer category "Pixel detector" is the correct one and corresponds to the analysis category "Disciplinary Explanation". Statements like "particle traces" were assigned to the category "Pixel detector" as well. In addition, it is debatable whether the answer category "Particles" is correct or not. In my opinion it is inaccurate, since it is not the particles that are represented, but the traces that they leave in the detector. Thus, for analyzing the data the answer category "Particles" corresponds to the analysis category "Disciplinary Identification".

That a considerable number of participants considered the image as an astronomical one, may be due to the used false colors. The yellowish dots on a black background remind of stars in the night sky or images of galaxies.




CHART 4: Relative number of participants per answer category

I argue that some participants considered the image to represent a collision because they were visiting CERN's site where the particle collider. The **international high school students** represented by the **light blue** bars and some of the **university students** (**yellow** bars) have used the pixel detector in a workshop at CERN before participating in the survey. Concerning the latter, one must consider that some of them were also working directly or indirectly with detectors. Approximately 80% of the above-mentioned groups identified the image correctly as the representation of a measurement with a pixel detector as shown in CHART 4. Furthermore, when regarding the category "Particles" as correct, nearly all participants of these group were right, the high school students were slightly better though. However, the good result of both groups is rooted in their prior experience with pixel detectors. This is another indication that prior knowledge is a crucial factor for disciplinary discernment.

In general, long-term visitors at CERN who must attend lectures are more likely to give the correct answer than others. Therefore, in addition to the international high school and university students, the **international teachers** (**red** bars) are mainly located in the first answer category. Short-term visitors are more likely to have less prior knowledge. Thus, the number of **German teachers** (**pink** bars) in the first answer category is slightly less in comparison to the internationals. However, there is a striking difference as regards the **German high school students** represented by the **dark blue** bars. They are way less likely to be found in the first answer category in comparison to all the other groups. In contrary, they are the most strongly represented group in the category "Particles". This may be caused by a lack of disciplinary knowledge and the participants might have thought that "Particles" is a good answer when being at CERN. Besides, they might have had difficulties in understanding that the image represents the energy deposited by particles and not of the particles themselves.

7. B. 4. Categorization of statements

For analyzing all questions concerning the user interface "Pixelman" according to the Anatomy of Disciplinary Discernment the approach was categorization per statement. Thus, each statement was assigned to one of the analysis categories. Some exemplary statements for each category are listed below.

7. B. 4. 1. Non-disciplinary Discernment

• Color differences: "Galaxies", "Universe", "Cosmos", "Lifetime of a star", "Collision events", "Particles after collision", "Heatmap of some sort"

7. B. 4. 2. Disciplinary Identification

Coordinate system: "Horizontal pixels – vertical pixels", "Column number – row number"

7. B. 4. 3. Disciplinary Explanation

- Relative energy deposit: "It is probably the quantity of deposited energy. More energy
 ⇒ brighter color of the pixel.", "Its energy by the color of the pixel on the plot."
- Representation of pixel detector data: "The black areas are ones in which particles
 were not found to hit the chips, while the parts that are colored are locations on
 the detector at which there were detections", "Visualization of pixel detector
 data"

7. B. 4. 4. Disciplinary Appreciation

- False colors: "Intensity of ionization in false color"
- Particle tracks: "The colored lines and dots represent the tracks of the particles on the surface of the detector." "They have different energies and tracks, therefore you can differentiate them."

7. B. 4. 5. Disciplinary Evaluation

- Absence of labels: "It is unlabeled", "Graph has poor x and y labels", "I am not sure. If the bright spots are particles, it could be their energy. I thought the color was related to how many particles are there. There is no unit or label in the color scale."
- Shape of the representation: "The x and y axes run from 1 to 256, although the graph is rectangular instead of the square plot one might expect. This means the elliptical blobs are probably circular in reality."

7. B. 5. Results

At first, the focus was on the amount of statements assigned to the categories "None" and "Missing value" in comparison to those assigned to one of the Levels of Discernment. The relative amount of statements assigned to these categories is listed in TABLE 12.

When comparing the distribution of the statements among the categories, there are no striking differences between the group of participants. The only conspicuous aspect is the high amount of missing values concerning the German high school students and the international teachers.

TABLE 12: The relative amount of **statements** [%] in the categories "**Missing value**" and "**None**" (1st and 2nd row) and the sum of both (3rd row), as well as the relative amount of **statements** [%] assigned to one of the **Levels of Discernment** (4th row) and the category "**Double coding**" (5th row) are listed.

/					
	High scho	ool students	University	Tea	chers
	German	International	students	German	International
None	2%	0%	1%	1%	1%
Missing value	8%	2%	4%	4%	11%
None + Missing value	10%	2%	5%	5%	12%
Levels of Discernment	88%	93%	91%	94%	86%
Double Coding	2%	5%	4%	1%	3%

However, for further analysis only the statements assigned to one of the Levels of Discernment are considered. TABLE 13 shows the distribution of statements within the Levels of Discernment for all groups of participants.

Above all, the focus is on comparing the results within the three clusters of participants and then, on seeking for parallels and differences between them.

In TABLE 13 it is apparent that the results of the two high school student groups are different. The internationals gave way less non-disciplinary statements than the Germans (10% to 38%). Furthermore, the former attained higher amounts of "Disciplinary Appreciation" and "Disciplinary Evaluation" statements. As mentioned above the internationals have already used pixel detectors in a workshop at CERN in contrary to the Germans, and thus these differences are not surprising.

TABLE 13: Distribution of statements [%] within the Levels of Discernment

	High scho	ool students	University	Tea	chers
	German	International	students	German	International
Disciplinary Evaluation	0%	1%	3%	1%	1%
Disciplinary Appreciation	1%	18%	8%	4%	4%
Disciplinary Explanation	33%	43%	42%	42%	30%
Disciplinary Identification	28%	28%	35%	26%	32%
Non-disciplinary Discernment	38%	10%	13%	27%	33%

Comparing the two teacher groups with each other, it is apparent that the German attained slightly better results as regards "Disciplinary Identification" and "Disciplinary Explanation" and hence, their amount of non-disciplinary statements is less.

For comparing the clusters with each other I visualized the data in CHART 5.

The relative amount of statements assigned to the categories "Disciplinary Identification" and "Disciplinary Explanation" is similar for all groups apart from the above-discussed issues. This finding is caused by the specific questions that were asked in this part of the survey (see chapter 10. A. 3.). E.g., when asked "What is plotted on the x-axis?", the participant had to focus on this aspect, otherwise he or she would not have been able to answer. This also results in the relatively high amount of "Disciplinary Identification" and "Disciplinary Explanation" statements. However, there are no striking differences concerning the category "Disciplinary Evaluation" either. In fact, the amount of statements assigned to this category is close to zero, which is another cause for the relatively high amount of "Disciplinary Explanation" statements.

Thus, for comparing the different groups of participants with each other, the analysis focuses on the categories "Non-disciplinary Discernment" and "Disciplinary Appreciation".

Concerning the category "Non-disciplinary Discernment", it is apparent that the international high school and university students attained a low amount in accordance with their prior experience with pixel detectors (see chapter 7. B. 3.). The university students are slightly stronger represented, which may be since not all of them have worked with pixel detectors before. However, the German high school students and both teacher groups gave way more non-disciplinary statements, whereby the high school students are the most strongly represented in this category.




CHART 5: Relative amount of statements per Level of Discernment

Concerning the category "Disciplinary Appreciation", the international high school students gave the largest amount such statements (18%) followed by the university students (8%). Overall, the amount of appreciative statements regarding the user interface "Pixelman" is low. That the representation is not appreciated by the participants may be an indication that its user guidance is neither intuitive nor simple.

7. B. 6. Recommendations for improvement

In accordance with the participants's statements, the following recommendations for improving the user interface "Pixelman" can be given:

- The axes and the color scale should be labeled with titles and units.
- The coordinate system representing the detector chip should have a fixed square shape.
- The **detection mode** should be indicated.

8. CONCLUSIONS

Two crucial factors were identified that have an impact on the discernment from visualizations in particle physics.

The first factor concerns the participants in terms of their prior experiences and knowledge. The results of this study indicate a correlation between prior knowledge and disciplinary discernment and support the assertions by Eriksson et al. (2014). Thus, further evidence has been provided that the Anatomy of Disciplinary Discernment is a useful tool to analyze representations.

The second factor concerns the representation in terms of its composition and corresponding affordances. The results of this study suggest that descriptive labels foster disciplinary discernment. This agrees with the *multimedia principle* as described in chapter 1. C. 2. 1., which states that learning is more effective, if visualizations are combined with text.

Concerning the relation between both factors, the results of this study indicate that the positive effect of descriptive labels on the disciplinary discernment is less pronounced, if the prior knowledge is high anyway.

Besides, the initially mentioned **preconceptions** have been confirmed by the data collected in the frame of this study.

However, the most important **limitations** of the study also lie in the preconceptions and the prior knowledge of the participants. For analyzing the data the definition of the prior knowledge of the participants was based on the educational background and on further assumptions in terms of their stay at CERN, but the individual's way of thinking was not investigated.

Thus, for further analysis of visualizations in particle physics the development of a test item to evaluate the preconceptions of the participants, before they engage with the representation and answer questions about their discernment, would be valuable.

Taken together, when asked, whether **visualization in particle physics** are **learning aids or obstacles**, one has to differentiate. Visualizations in particle physics can be learning aids, if the model aspect of the representation is clear and unambiguous. Thus, when choosing a model, one must always keep the learners' preconceptions, prior experiences, and knowledge in mind, since the appriopriatness of a specific model varies with the recipients.

In this regard, I hope that the results of this research as well as the recommendations for improvement will lead to a rethinking and revision of the analyzed representations.

9. REFERENCES

9. A. Sources

Dominguez, Daniel (2018). Voyage into the world of atoms (Video). In: CERN CDS video website. Retrieved from https://videos.cern.ch/record/2307615.

9. B. Literature

- [1] Ainsworth, S. (2006). DeFT: A conceptual framework for considering learning with multiple representations. *Learning and Instruction* 16 (3), pp. 183-198.
- [2] Airey, J. (2015). Social Semiotics in Higher Education: Examples from teaching and learning in undergraduate physics (Conference paper). In: SACF Singapore-Sweden Excellence Seminars (p. 103). Retrieved from http://urn.kb.se/resolve?urn=urn:nbn:se:uu:diva-266049.
- [3] Airey, J. (2017). Disciplinary Affordance vs Pedagogical Affordance: Teaching the Multimodal Discourse of University Science (Conference paper). Presented at New Zealand Discourse Conference, Auckland. Retrieved from http://urn.kb.se/resolve?urn=urn:nbn:se:uu:diva-335891.
- [4] Airey, J., Eriksson, U., Fredlung, T., & Lindner, C. (2014). On the Disciplinary Affordances of Semiotic Resources (Conference paper). In: IACS-2014 Book of abstracts (pp. 54–55). Retrieved from http://urn.kb.se/resolve?urn=urn:nbn:se:hig:diva-28829.
- [5] Duit, R. (1995). Vorstellungen und Lernen von Physik und Chemie. Zu den Ursachen vieler Lernschwierigkeiten. *Plus Lucis* 95 (2), pp. 11-18.
- [6] Eriksson, U. (2014). Reading the Sky. From Starspots to Spotting Stars (Dissertation). Uppsala, Sweden: Acta Universitatis Upsaliensis.
- [7] Eriksson, U., Linder, C., Airey, J., & Redfors, A. (2014). Introducing the anatomy of disciplinary discernment: an example from astronomy. European Journal of Science and Mathematics Education 2 (3), pp. 167-182.
- [8] Eriksson, U., Rosberg, M., Redfors, A. (2017). Disciplinary discernment from Hertzsprung-Russell-diagrams (Conference paper). Presented at the NFSUN 2017, Trondheim. Retrieved from http://urn.kb.se/resolve?urn=urn:nbn:se:hkr:diva-17071.

- [9] Fischler, H., & Schecker, H. (2018). Schülervorstellungen zu Teilchen und Wärme. In H. Schecker et al. (ed.): Schülervorstellungen und Physikunterricht (pp. 140-159). Berlin, Germany: Springer.
- [10] Fliedl, C. (2017). Graphische Darstellungen im Mathematikunterricht Eine fachdidaktische Analyse ihrer Bedeutungen und ein zugehöriger Schulbuchvergleich (Diploma thesis). Vienna, Austria: University of Vienna.
- [11] Fredlund, T., Airey, J., & Linder, C. (2012). Exploring the role of physics representations: An illustrative example from students sharing knowledge about refraction. European Journal of Physics 33 (3), pp. 657-666.
- [12] Fredlund, T., Airey, J., & Linder, C. (2015). Enhancing the possibilities for learning: variation of disciplinary-relevant aspects in physics representations. *European Journal of Physics* 36, DOI: 10.1088/0143-0807/36/5/055001
- [13] Gemelli Marciano, L. (2013). Die Vorsokratiker 3. Band 3. Griechisch Deutsch. Berlin, Germany: De Gruyter.
- [14] Gibson, J. J. (1977). The Theory of Affordances. In R. Shaw, & J. Bransford (ed.): Perceiving, Acting, and Knowing: Toward an Ecological Psychology (pp. 67-82). Hillsdale, NJ: Lawrence Erlbaum.
- [15] Gibson, J. J. (1979). The Ecological Approach to Visual Perception. Boston, MA: Houghton Mifflin Harcourt.
- [16] Girwidz, R. (2015a). Medien im Physikunterricht. In E. Kircher et al. (ed.): *Physikdidaktik* (pp. 193-245). Berlin, Germany: Springer.
- [17] Girwidz, R. (2015b). Neue Medien und Multimedia. In E. Kircher et al. (ed.): *Physikdidaktik* (pp. 401-427). Berlin, Germany: Springer.
- [18] Girwidz, R. (2015c). Multimedia unter lerntheoretischen Aspekten. In E. Kircher et al. (ed.): *Physikdidaktik* (pp. 843-878). Berlin, Germany: Springer.
- [19] Hammann, M., & Jördens J. (2014). Offene Aufgaben codieren. In D. Krüger et al. (ed.): Methoden in der naturwissenschaftsdidaktischen Forschung (pp. 169-178). Berlin, Germany: Springer.
- [20] Hopf, M., & Schecker, H. (2018). Schülervorstellungen zu fortgeschrittenen Themen der Schulphysik. In H. Schecker et al. (ed.): Schülervorstellungen und Physikunterricht (pp. 225-241). Berlin, Germany: Springer.

- [21] Keller, O. M. (2015). Visualisation of Radioactivity in Real-Time on a Tablet Measured by a Hybrid Pixel Detector (Master of Science Thesis). Karlsruhe, Germany: University of Applied Sciences.
- [22] Kress, G., Jewitt, C., Ogborn, J., & Tsatsarelis, C. (2001). Multimodal teaching and learning: The rhetorics of the science classroom. London, Great Britain: Continuum.
- [23] Kuckartz, U., Ebert, T., Rädiker, S., Stefer, C. (2009). Evaluation online. Internetgestützte Befragung in der Praxis. Wiesbaden, Germany: VS Verlag für Sozialwissenschaften.
- [24] Mayer, R., & Moreno, R. (2003). Nine Ways to Reduce Cognitive Load in Multimedia Learning. *Educational Psychologist* 38 (1), pp. 43-52, DOI: 10.1207/\$15326985EP3801_6.
- [25] Müller, R., & Schecker, H. (2018). Schülervorstellungen zur Quanten- und Atomphysik. In H. Schecker et al. (ed.): Schülervorstellungen und Physikunterricht (pp. 210-224). Berlin, Germany: Springer.
- [26] Norman, D. A. (1988). The Psychology of Everyday Things. New York, NY: Basic Books.
- [27] Norman, D. A. (2013). The Design of everyday things. New York, NY: Basic Books.
- [28] Opfermann, M., Schmeck, A., & Fischer, H. (2017). Multiple Representations in Physics and Science Education Why Should We Use Them?. In D. F. Treagust et al. (ed.). Multiple Representations in Physics Education (pp. 1-22). Cham, Germany: Springer.
- [29] Otero, V., & Harlow, D. (2009). Getting Started in Qualitative Physics Education Research. Getting Started in PER 1 (2). Retrieved from https://www.compadre.org/Repository/document/ServeFile.cfm?ID=9122&DocID=1218.
- [30] Robson, C., & McCartan, K. (2016). Real world research. A resource for users of social research methods in applied settings. Chichester, Great Britain: John Wiley & Sons Ltd.
- [31] Rundgren, C. J., & Tibell, L. A. E. (2009). Critical features of visualizations of transport through the cell membrane—an empirical study of upper secondary and tertiary students' meaning-making of a still image and an animation. *International Journal of Science and Mathematics Education 8 (2)*, pp. 223–246, DOI: 10.1007/s10763-009-9171-1.

- [32] Schieck, J. (2015). Elementarteilchenphysik in der Schule. In: E. Kircher et al. (ed.), Physikdidaktik (pp. 503-527). Berlin, Germany: Springer.
- [33] Schmiemann, Ph. & Lücken, M. (2014). Validität Misst mein Test, was er soll?. In D. Krüger et al. (ed.): Methoden in der naturwissenschaftsdidaktischen Forschung (pp. 107-118). Berlin, Germany: Springer.
- [34] Stiles, W. B. (1993). Quality control in qualitative research. *Clinical Psychology Review 13 (6)*, pp. 593-618.
- [35] Tipler, P., Mosca G. (2015). *Physik für Wissenschaftler und Ingenieure*. Berlin, Germany: Springer
- [36] Wiener, G., Schmeling, S., & Hopf, M. (2017). Introducing 12 year-olds to elementary particles. *Physics Education 52 (4)*, pp. 1-8.
- [37] Wiesner, H., Schecker, H., & Hopf, M. (2011). *Physikdidaktik kompakt*. Hallbergmoos, Germany: Aulis
- [38] Woithe, J., Keller, O., Feistmantl, A., Jende, K., & Schmeling, S. (2016). Learning Particle Physics Using Timepix-Based Pixel Detectors at CERN S'Cool LAB. In L.-J. Thoms, & R. Girwidz, Selected Papers from the 20th International Conference on Multimedia in Physics Teaching and Learning (pp. 65-72). Mulhouse, France: European Physical Society.
- [39] Woithe, J., Wiener, G., & Van der Veken, F. (2017). Let's have a coffee with the Standard Model of particle physics!. In *Physics Education 52 (3)*, DOI: 10.1088/1361-6552/aa5b25.
- [40] Zillien, N. (2008). Die (Wieder-)Entdeckung der Medien Das Affordanzkonzept in der Mediensoziologie. Sociologia Internationalis 46 (2), pp. 161-181.

10. APPENDIX

10. A. Questionnaire

10. A. 1. Initial draft of the questionnaire (German)

"Liebe Kollegin, lieber Kollege/liebe Schülerin, lieber Schüler",

Du befindest dich gerade im S'Cool LAB des CERN, in dem Teilchenphysik-Experimente durchgeführt werden. Wir arbeiten kontinuierlich daran, unsere Veranstaltungen weiterzuentwickeln. Dazu benötigen wir deine Hilfe: Bitte lies dir die folgenden Aufgabenstellungen gut durch und beantworte die Fragen so ausführlich wie möglich. Dieser Fragebogen ist KEIN Test und deine Antworten bleiben anonym! Vielen Dank für deine Mithilfe! P.S.: In der Teilchenphysik-Community ist es üblich, dass sich alle (Studierende, Professorinnen, Nobelpreisträger, ...) untereinander duzen. Wir hoffen, dass es für dich in Ordnung ist, wenn wir uns im S'Cool LAB Kontext ebenfalls duzen!

Ich	nehme	zur	Kenntnis,	dass	meine	Daten	anonym	behandelt	und	ZU	For-
schu	ungszwed	cken	weiterverd	ırbeite	t werde	n.					

- Ich bin ...
 - □ weiblich.
 - ☐ männlich.
- Seit wie vielen Jahren "unterrichtest/lernst" du Physik?

Questions about the video

In den folgenden Abschnitten siehst du nacheinander Teile eines Videos. Öffne den Link, schau dir das Video an und beantworte die Fragen!

- https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/1_Haarzelle.mp4 (12.12.18)
- 2) https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/2_Makro_Mikro_Protofibrille.mp4 (12.12.18)
- 3) Beachte: Carbon=Kohlenstoff, Sulphur=Schwefel, Nitrogen=Stickstoff, Oxygen=Sauer-stoff
 - https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/3_Keratin_Atome.mp4 (12.12.18)
- 4) Beachte: Carbon=Kohlenstoff
 https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/4_Kohlenstoffatom_Elektronenorbitale.mp4 (12.12.18)

- 5) https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/5_Kern_Protonen_Neutronen.mp4 (12.12.18)
- 6) https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/6_Proton_Quarks.mp4 (12.12.18)

Note: Question a) and b) were asked for each of the six videoclips.

- a) Beschreibe, was dir in den Sinn kommt, wenn du diesen Videoclip siehst!
- b) Was erscheint dir bekannt, neu, überraschend oder verwirrend?

Questions about the user interface

Um Teilchen sichtbar zu machen, werden Pixeldetektoren wie z.B. der MX-10 genutzt. Sein Detektorchip besteht aus dem Halbleiter Silizium. Wenn Teilchen mit hoher Energie durch den Halbleiter fliegen, werden Elektronen (negative Ladungsträger) von den Atomen gelöst. Je höher die Energie der Teilchen, desto mehr Elektronen werden gelöst. Die frei beweglichen Elektronen wandern zur positiv geladenen Elektrode. Dieses Stromsignal wird ausgewertet. Indem man die gesamte Detektoroberfläche in kleine Bereiche (Pixel) unterteilt, kann man einem Signal einen Ort zuzuordnen. Der Silizium-Detektorchip des MX-10 ist 1,4x1,4cm^2 groß und in 256x256 Pixel unterteilt.

Aus wie vielen Pixeln besteht der Detektorchip des MX-10?

□ 256x256

□ 10

□ 1,4x1,4

Betrachte dieses Bild genau und überlege dir, was gezeigt wird. Zur näheren Betrachtung der Bilder zoome am Bildschirm mit zwei Fingern hinein!

Note: The set of questions about the visualization was divided and displayed in subsets as listed below:

- Was stellt dieses Bild als Ganzes dar?
 Wie erklärst du dir einzelne Aspekte des Bildes?
- Was ist auf der x-Achse aufgetragen?
 Was ist auf der y-Achse aufgetragen?
 Wofür steht die Farbskala am unteren Rand des Bildes?
- Dieses Bild zeigt die Signalauswertung des Detektorchips. Es werden einige Eigenschaften von Teilchen dargestellt. Welche Aussagen kannst du über ein beliebiges Teilchen treffen?
- Unterscheiden sich die Teilchen, die auf den Detektorchip treffen? Wenn ja, wodurch?

10. A. 2. Final version of the questionnaire (German)

"Liebe Kollegin, lieber Kollege/liebe Schülerin, lieber Schüler/...",

Du befindest dich gerade im S'Cool LAB des CERN, in dem Teilchenphysik-Experimente durchgeführt werden. Wir arbeiten kontinuierlich daran, unsere Veranstaltungen weiterzuentwickeln. Dazu benötigen wir deine Hilfe: Bitte lies dir die folgenden Aufgabenstellungen gut durch und beantworte die Fragen so ausführlich wie möglich. Dieser Fragebogen ist KEIN Test und deine Antworten bleiben anonym! Vielen Dank für deine Mithilfe! P.S.: In der Teilchenphysik-Community ist es üblich, dass sich alle (Studierende, Professorinnen, Nobelpreisträger, ...) untereinander duzen. Wir hoffen, dass es für dich in Ordnung ist, wenn wir uns im S'Cool LAB Kontext ebenfalls duzen!

	Ich	nehme	zur	Kenntnis,	dass	meine	Daten	anonym	behandelt	und	ZU	For-
	schu	ungszwed	cken	weiterverd	arbeite	t werde	n.					
•	Ich	bin										
		□ weib	lich.									

Seit wie vielen Jahren "unterrichtest/lernst" du Physik?

Questions about the video

☐ männlich.

Note: Since the two different versions of the video, with and without labels, were analyzed, links to both versions of the clips 1) to 4) and the accompanying explanation are listed below. Each group of participants only got the links to one version of the clips.

In den folgenden Abschnitten siehst du nacheinander Teile eines Videos. Öffne den Link, schau dir den Videoclip an und beantworte die Fragen!

- 1) **Unlabeled clip:** https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_1_nolabel.mp4 (12.12.18)
 - **Labeled clip:** https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_1_labeled.mp4 (12.12.18)
- 2) **Unlabeled clip:** https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_2_nolabel.mp4 (12.12.18)
 - **Labeled clip:** https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_2_labeled.mp4 (12.12.18)
- 3) **Unlabeled clip:** https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_3_nolabel.mp4 (12.12.18)
 - **Labeled clip:** https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_3_labeled.mp4 (12.12.18)

4) **Unlabeled clip:** https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_4_nolabel.mp4 (12.12.18)

Labeled clip: https://scool.web.cern.ch/sites/scool.web.cern.ch/files/vidsstudie/Abschnitt_4_labeled.mp4 (12.12.18)

Note: Question a) and b) were asked for each videoclip.

- a) Beschreibe, was dir in den Sinn kommt, wenn du diesen Videoclip siehst!
 z.B. Dinge, die dir auffallen, neue Erkenntnisse oder Verknüpfungen, Überraschendes oder Verwirrendes
- b) Welche Fragen hat dieser Clip für dich aufgeworfen?
 Wenn du nichts Neues bemerkt hast, teile uns dies bitte hier mit!

Note: These are the follow-up questions.

Du hast nun alle Clips gesehen. Bitte beantworte die Fragen zum GESAMTEN Video!

- Wo hat die Reise begonnen und wo geendet?
 Bitte erkläre dies so ausführlich wie möglich!
- Zähle auf und begründe, was deine Aufmerksamkeit besonders erregt hat!
 z.B.: Dinge, die dir neu sind, die du nun anders wahrnimmst oder die du bemerkenswert findest
- Konntest du aufgrund des Videos neue Verknüpfungen zwischen Phänomenen oder Strukturen knüpfen? Wenn ja, welche?
 Bitte erkläre dies so ausführlich wie möglich!
- Hat dich etwas im gesamten Video überrascht? Wenn ja, was?

Questions about the user interface

Um Teilchen sichtbar zu machen, werden Pixeldetektoren wie z.B. der MX-10 genutzt. Sein Detektorchip besteht aus dem Halbleiter Silizium. Wenn Teilchen mit hoher Energie durch den Halbleiter fliegen, werden Elektronen (negative Ladungsträger) von den Atomen gelöst. Je höher die Energie der Teilchen, desto mehr Elektronen werden gelöst. Die frei beweglichen Elektronen wandern zur positiv geladenen Elektrode. Dieses Stromsignal wird ausgewertet. Indem man die gesamte Detektoroberfläche in kleine Bereiche (Pixel) unterteilt, kann man einem Signal einen Ort zuzuordnen. Der Silizium-Detektorchip des MX-10 ist 1,4x1,4cm^2 groß und in 256x256 Pixel unterteilt.

•	Aus wie vielen Pixeln besteht der Detektorchip des MX-10?
	□ 256x256
	□ 10
	□ 1,4x1,4

Note: After this question the screenshot of a measurement and an explanation were presented together with each subset of questions.

Betrachte dieses Bild genau und überlege dir, was gezeigt wird. Zur näheren Betrachtung der Bilder zoome am Bildschirm mit zwei Fingern hinein!

- Was stellt dieses Bild als Ganzes dar?
 Wie erklärst du dir einzelne Aspekte des Bildes?
- Was ist auf der x-Achse aufgetragen?
 Was ist auf der y-Achse aufgetragen?
 Wofür steht die Farbskala am unteren Rand des Bildes?
- Dieses Bild zeigt die Signalauswertung des Detektorchips. Es werden einige Eigenschaften von Teilchen dargestellt. Welche Aussagen kannst du über ein beliebiges Teilchen treffen?
- Unterscheiden sich die Teilchen, die auf den Detektorchip treffen? Wenn ja, wodurch?
 Wie viele Teilchen sind auf den Detektorchip getroffen?

10. A. 3. Final version of the questionnaire (English)

Dear "student/teacher/...",

I kindly ask you to participate in this survey and answer some questions related to particle physics. By participating in this survey, you also agree to the ethical arrangements* below.

Thank you very much!

Physics Education Research Group, CERN

*Ethical arrangements

By proceeding to take this survey you are giving your explicit consent for us to use the answers that you provide in the survey for research purposes at the PER group, CERN, Switzerland. We guarantee total confidentiality. The analytic use of the data will be to answer specific research questions dealing with aspects of discernment that may be made possible by the representation used in the survey. The only linked personal information that may be used in the analysis and its reporting are the answers you give to the questions about gender and academic background. We guarantee that no other personal links will be made to this information. With this guarantee you are also consenting to: (1) having the data shared digitally amongst our research group and stored on our computers and (2) to have the data used in the verbal and written reporting of our analysis. This includes digital and paper publication of my results. The reporting of these results may also include some exact quotations from your written answers that you provided.

To which gender identity do you most identify?

□ male

□ female

How long have you been "teaching/studying" Physics?

Questions about the video

Note: As in the German version of the questionnaire the labeled and the unlabeled version of the video were used. Each group of participants either had to fill in a survey with links to the labeled or to the unlabeled videoclips. However, the links were accompanied by the following instruction:

Watch this clip and answer the questions!

Note: The same two questions about each of the four clips were asked.

a) Please write what comes to mind when you watch this clip.
 e.g. things you noticed, sudden new realizations or connections, surprising or confusing things

b) What, if any, "I wonder ..." questions did this clip raise for you?

If you have not noticed something new, feel free to say so.

Note: These are the follow-up questions.

Now that you have seen the whole video, did you get a good sense of where the journey started and where it ended?

Please explain as fully as possible.

 With respect to the video, mention those things that particularly caught your attention and explain why.

e.g. new things that you noticed, things you noticed differently now when you have seen the whole video, or things that you found amazing to notice

 What, if any, new connections between phenomena or structures did the video as a whole make for you?

Please explain as fully as possible.

• What, if anything, surprised you in the video as a whole?

Questions about the user interface

To make high-energy particles visible you can make use of pixel detectors out of semiconductor materials. These detectors are based on the following principle:

High-energy particles fly through the semiconductor material and free electron-hole pairs. Electrons or holes are collected through an externally applied field, converted into voltage pulses

and digitized. By dividing the whole detector surface into small parts (pixels), you can measure the location of a detected particle.

The detector chip of the detector "MX-10" measures 1.4×1.4 cm² and is divided into 256×256 Pixels.

• In how many pixels is the detector "MX-10" divided?

□ 256x256□ 10□ 1,4x1,4

Note: After this question the screenshot of a measurement and an explanation were presented together with each subset of questions.

Examine this image carefully and think about what it shows!

- What do you think the image represents as a whole?
 Please describe your understanding of as many parts of the image as you can.
- What is plotted on the X-axis?
 What is plotted on the Y-axis?
 What does the colour scale at the bottom of the image represent?
- This image shows the screenshot of a measurement with an MX-10 pixel detector and Pixelman software. It represents particles and some of their properties. What can you tell about a particular particle?
- How do the particles which hit the detector chip differ from each other?
 How many particles hit the detector chip?

10. B. Interrater data table

10. B. 1. Video "Voyage into the world of atoms"

Porticional	Flaceta unita ustas camae to minet untura unu unitele libite elle	Coteoner	Category_In	Compagn	(2) When It was it mender " susseliens offerthis offer toke of was it was it	Coteoper	Lategary_In C	Compilan
	GOING TO THE SWALLEST	A	¥			A		3
*4	2 order of magnifude	٧	U	z	and if I go autside the half, in space?	*	>	
		٧	٧		×		<i>></i>	
4	4 we can probe closer and closer and we can still find marter that made up the whale thing	sú.	*	z	I wonder how close can we probe? What is the smallest thing that human can observe?	*	z	
	5 love the crimation of this citic, gains step by step to microscopic level.	4	٥	z	\$		·	
		\ \ \	\ \	>-	k that really the human hair?			
	7 cood, nicely done, it would be nice to see this somewhen during elementary school	U	ш	z	I wonder how it would look like if it confined "boarring".	×	>	
40	Bod memories to my biology classesWould have been nice if it confinued to particle physics instead of a stopping at atoms	80	80	>-	N	z	>	
١	ncoder in my frefox :(٧	z	z	×	z	z	
10	10 nane	z	z	>	N	z	*	
=	11 nothing really	z	z	>	N	z	*	
12	It's a beautiful and samewhat inhultive visualisation of many arders of magnitude because it starts on a well 12 known scale and dives into the micro world in steps that are rice to lollow.	۵	۵	>	2	2	>	
:	It gives the sense of the difference between the macroscopic and microscopic world, even though they world in a union constantly. Yet, I always have trouble activally getting a sense of the absolute minuscule that are always to sense of the absolute minuscule.		ı	,	3		>	
1	s also in hale.		, an	z	Hod dheady seen this video and I dian't know about the fibrits.			
11	Gives an idea of constitution of a titvial object as human hair as well as a comparison scale for particles at different levels of this hierarchy of constitution (strand of hair to keralin to molecules making the whole 15 shuchue).	U	U	>	If the of molecules is of order 10%-8 times thickness of hair, the thickness of hair would be tremendously target than the dimensions of elementary particles. If it not a question, if it just an actionishment as to be now small the world of elementary particles is		>	
91	i didn'i know that keralin was located within the hale, rather I had the impression that it served as an outer is coatinglayer of the hale, Abo, I wasn't aware of how many different identerits are present in human hale.	4	sú.	z	I wonder how fine-tuned and complex nature can get all around us.	*	>	
1		*	υ	z	It made me wander haw deep things we see can go and we may not even notice that most of the Anne	•	>-	
82	the Clip is using a really nice way of according in effects which gipts the viewer into explaining more of what the clip will provide, the way it enabled wann't as satisfying as it was annicipated to be. The details of for example a hair on the 100 micrometre scale was aesthetically pleasing. The video strong an anticulate way to make the viewer wander how beautiful it is that complex creatures. It like us are made of simpler and simpler things.	٥	w	z	why was everything in the shape as it is now.		z	
		Total number of statements	statements	18		Total number of statements	iber of ents	60
		Compliant coding Relative compliance	coding	0.30		Compliant coding Relative compliance	coding	0.83

1. Please write what comes to mind when you watch this cito.	Coledory	Category_In	Compagn	2. What it any. "I wonder" auestions did this also raise for you?	Cafegory	Category_in	Compagn	1. Please wife what comes to mind when you worth this cito.	Category	Lategory_In	Compilan
AN ATOM.	aŭ.	œ							60		
	2	2	>	and if 1 go further?	4	*	>	m I always seen "balls?"	×		z
Chemishy	4	mi	z			¥		atom	80		
chemistry? about atoms, otalidis	sú.	sõ.	z	How sure are the scientists about the orientation of the particles inside the atom?	٧	۵	z	colors of neutron and proton? how close can humans probe the inside of an object?	60	0	z
Interesting, but do look the orbitals like so?	sú.	ш	z		2	z	z	Are protors red and neutrors while? Do they stick together without any motion? Why do they stick together without any motion?	ш		
Aquatic weeds	٧	*	>	Are they molecules	4	*	> -	structure of the atom	60		
I remembered my High school chemistry classes, where we learned about orbitals, dements etc.	æ	αŭ	>-	I wonder how it looked like on a particle level.	mi	æi	*		M	z	z
No. 1 create those is a third office continue				Cilip bridge or al state about 1 to subsecure.	,		2	those will be of local processing		Ì	
I just noticed that they used electron clouds for electron position	C no		z				z	respect		U	
	2	×	>		×	z	z	coal pictures and visualization	٠ ٧	×	
ogain, nothing realty	z	z	>-	none	z	z		nothing realty	z	z	
Some as beforeif a nice step-by-step introduction into the world of the smallest existing particles.	×	×	>-		×	×	>-	some as before	×		
I do not like it when the subctions: world is represented in such a way with simple spheres and physical conections between them, as this is not how the world actually operates on this level. Yet the wides does not tall in its original goal, that is to display and give a visual representation of the scaling of the universe	ш	ш	>-	One unsatistying element with almost all of these videos, is that they give the series and flusion of being toever contraining and sooming, when the video eventually has 100p, as our misable contrained explain further. It leads to a series of unscorreptatement and disappointment, in my eyes. I brought this up earlier, and this is why tose a fourth in describing the misroscopic universe in terms of evenyday manners such as 'sooming'.	ш	ш	>-	It gives on ok vlauditorilon of the empliness that is within on atom.	0		z
sp3 hytericlisarion.	æ	m	>-	Nothing new	z	z	>-	Yes, the nucleus is thy.	U	u	
Bections are arranged in discrete cloud-lite orbitals	U	U	>	Nothing	z	z	>	Typical subationic structure of nucleus	60		
We are taught to vlaudise atoms in a very different way at school, especially when it comes to electrons that are thought to move around the nucleus in circular shelts.	*	ш	z	I wonder how the alom really works	<	۵	z	The nucleus has quite a familiar shape but this is not the way I visualised the whole atom up to now.	۷.	٥	z
how many different materials are originated from carbon	~	sú.	z	If made me think in the reason why carbon is the main constitute of the things we see on earth.	60	aŭ.	>	I notice how much empty space there was in the microscope world	u	U	
the clip also resembles the one that was played earlies, it shows tascinating visualizations of what everything is made of.	×	×		I wonder why when you zoomed in on the atom and showed the arbitals was there a shield covering the atom?	U		z	some as the earlier answer	*		
	Total n shah	Total number of statements	18		Total n state	Total number of statements	18		Total number statements	Total number of statements	18
	Compli Relative	Compliant coding Relative compliance	11,0		Complik Relative	Compliant coding Relative compliance	19'0		Complia Relative co	Compliant coding Relative compliance	0,72

NO N					a	a		,	z		,
		z	>	COMPONENTS OF PROTONS	0	0	-	CN			
	z	z	>	mideading representation of nuclears ad balls containing other balls	w.	ш	>	am I going to see other "balls"going huther?	×		z
		×		elementary particles	0	0	-			8	
I wander how protons and neutrons stay together inside the nucleus (they say its the strong torce).	U	U	>	the mass of the constituents qualits inside the proton is not equal to the mass of the proton	U	U	>-	I wonded: If we could observe an individual quark in the future (overcoming the strong force).	60	U	z
I wonder, If it was possible to animate moving particles in the nucleur.	×	۵	z	Wity don't this particles leave the nucleus? Where are the gluons? Where are the seasours?	w g	ш	>-	I wonder if it was better to add gluons and pethaps seaquants in this animation to understand the interaction property.	×		z
nucleus found in the core	60	80		actions of sub-atomic particles	αú	4	z	colour band	¥		>
I want to see maret	·	4	>	Despite knowing that our hair is made of particles, I still find it mindblowing seeing this visualsation.	aŭ	۵	z		×	z	z
None	z	z		No I minit we are done here	<	z	z	None	z	z	z
V		×	>		ž	×	>			×	
I wonder how dose to reality is this animation	60	۵	z	riice	*	۷	×	none	z		>
N anon	z	z	>	yilda isaliy	z	z	>-	none	z	z	>
V	×	×	*	Even though it's clear that at some paint the concept of colours (led up- quaris etc.) doesn't exist anymore it's a rice visualisation.	ш	ш	>-		W	W	>-
ď	×	×	>	Again, as a vitual representation of the aspects of size, it does a great job, but gives a bact appresentation to the machanism of the universe, like soying a proport is just made of three simple quarts.	w Ø	ш	>	isad this earlier, but I am left with a sense of "bis, now what?"	w ≺		z
N war griffing	z	z	>	Colour chargel	eú.	U	z	nathing new	z	z	
	z	z	>	Composition of a proton and lis radius	aŭ.	aŭ.	>	Nothing	z	z	,
It did not raise any	z	z	>	There is also empty space within the protons and neutrons	υ	U	>-	none	z	z	>
It made me wonder how emply matter is.	×	U	z	If mode merementer of Rusions dols.	<	∢	>	I wonder if there is something beyond quarks	eŭ eŭ		>
xame at the earther answer	×	×	>	all the Information provided in this clip were previously understood	<	z	z	what are quants made of in hun	aŭ aŭ		
	Total nu state	Total number of statements		60	Total	Total number of statements	18	8	Total number of statements	mber of nents	18
	Complia	Compliant coding Relative compliance		15	Compl	Compliant coding Relative compliance	0		Compliant coding Relative compliance	nt coding	0.67
			Ш				H				
							-				

Now That you have seen the whole viade, and you get a good sense of whele the journey statled and where it ended?	Category	Conegory_In terroter	Complian	With respect to the video, mention those things that particularly caught your attention and care	Category ten	Serrater com	ce
FROM THE HAIR OF THE WOMAN TO THE SMALLEST INNER PART OF THE ATOM	60	z <		I SAW THIS VIDEO BEFORE	۷.	>	
Ves	× :	z		N	z	>- >	
Somethow. From the magrascopic world until the smallest possible particle that man has observed				מסופורה כו לסקוס	-	 	
is "high-soom" is a very riske antimation and will be a good way to explain students the also of autoritoms confictes, the wavenet. I mis comme through the oritomstandian.	, .			I this the additional product to the second the second to		- z	
	4				<	>	
Yest	*	z	-	The scole.	u	z	
Nothing new here	<	z		I think it was well made Fabriting elementary particles might not be the most realistic thing to do, but the vision gives a good impression overall. If quaris are elementary they to probably proudin have any structure or all, but that it much harder to visualise.	w	z	
Since I didn't watch the whole video, I guess the journey from macroscale world to the smallest of dimensions.		z U		W	ž	>	
, sex	4	z		W	×	*	
yes, I beleve it would be interesting for someone with little knowledge on how small the building blocks of nature are or the size of things explored at the LHC.	۵	z		N	z	>	
Yes, It's a condistent journey.	_ <	· ·		l like that it started at something we know from everyday life; a person, hale,	_ <	>	
Yes, I do Mily understand where the video begins and ends, as it is properly and nicely noted both the names of the copiets and their size.	۵	z <	200	Before entering the atomic world, everything was colouriess, but upon entering the minoscopic scene, objects that cannot give sense to have a color (disregarding quark colors) were given beight colors. I would have prefetted the overworld to be A color and control world being a dark and maytic place.	w	z	
I could see how small particles are.	U	v	_	ddn'i know about the structure of hair.		z	
The strand of hair of a hundred missons contasts of DNA molecules with size of order of nanometres which are hurther constituted by various allows of size of picometres inside of which there is a whole universe of electrons and nuclei with nucleons further consisting of smaller particles.	U	v		Nortang	z	>	
Yes because everyfring got progressively smaller and an indication of the scale was very useful because at some paint things stop being measureable as you probe deeper and deeper.	٥	z U	- 0,	It started out as a particular blands woman with certain specific features and characteristics that we find unique in every person but as the video progressed and things went down to the atomic level, we can see that we are all actually the same thing.		z	
I could get the sense of the journey beginning in a human to an quant really well. Was able to see how holf was made of a material that was constituted of samething else and gaing like this as tas as the quant.	60	.≻ so	- " "	was wondering about how matter interacts with matter while we have plenty of empty oppose and how it is fullified with faces, other really amating point is the electrons and how we islantly them in the particles, not with a position but with proceedality.	u	>-	
yes, but videos like this makes me question if we can understand everyfiting from the beginning of the formation of the first atom to organic material to living beings signt now	<	z	_ " >	I have locused a lot of my self-studying to physics and particle physics, and this video short makes are curious about what makes up selver they go structures which also makes me curious about A what makes up serviting.		z	
	Total	Total number of statements	18		Total number of statements	8	92
	Compl	Compliant coding Relative compliance	0,28	O 8	Compliant coding Relative compliance	Sing	0,61
					\parallel	H	

WING, If any, new connections between phenomena of structures and the	Code cons	Category_m	Compson	Salabathar or and addition and state that the salabathar or an addition	Coleogo	Category_III	Compagn
THE RESERVE THE PROPERTY OF THE PARTY.		W			W	×	
none	z	z		none	z	z	
a small part of a human body, just like us being a small part of						E	
	U	u	×	None	z	z	>
	×	×	>		×	2	>
making science and its new discoveries real and factual	4	*	*	iow.	4	z	z
It just reminded me of what I already know but never seem to think about (the particles we - our bodies are made of).	60	60	>	How well it was visualised.	٥	۵	>
	×	×	*		×	2	>-
	×	W	<u></u>		×	2	
interesting to visualize the scale of things, helps in better understanding	٥		z		×	2	>
none	z	z	¥	ou.	z	z	>-
******	,		,		,	2	
none	z	z	*	nothing	z	z	>
I didn't know about the structure of half. Particles are so small	×	×	>	That scales are correct, especially about the dimention of the nucleus	٥	۵	<u></u>
There is a hierarchical structure even inside the smallest thing we can visualise in daily life	<	U	z		×	ž	>
			,	the election orbities were very different to what we were laught up to			;
none	z	z	-		×		z
electrons and how we identify them in the particles, not with a position but with probability	×	U	z	empty space and the electric probabilistic field	J	U	z
The connection between biology, physics and chemistry; it reminded me of now to colour of quarks make writte at the end and unity to what we have an account of quarks make writte at the end and unity to what we			,	And the second s	,	,	Ĺ.,
Mich of to the line.	1	Total number of				Total number of	
	state	shahements	80 52		state	statements motions coding	B
	Relative	Relative compliance	0,83		Relative	Relative compliance	0,80
				Total relative compliance			0,67

10. B. 2. User interface "Pixelman"

The image represents the meast I detector (coordinate scales to 2 particles it picked up. 3 different particles measured us. 4 The particles passing through the previous question, and we can interested with as highlighted structured with as highlighted structured with as highlighted structured with as highlighted so interest to particles coming it is not a formal particles detected by 7 Gamma particles detected by 7 Gamma particles detected by 8 Read out of a pixel detected.	The image represents the measurements of all the pixels of the detector (coordinate scales to left of and below the image).	U	C(R)		bottom assigns colors to probably either intensity or number of particle having passed is, Lines or dots in the image represent the traces of various particles that have passed			
The screen or measurements it picked up adfilerent particles may different particles passing the particles and the particles and the particles are presented with a saumy formula particles and formula particles de Record out of a pixel of Second out of a pixel of the particles are particles and the particles are particles are particles and the particles are particles are particles and the particles are particles are particles are particles are particles are particles are particles and the particles are particles			100		through the detector.	D	c	z
3 different particles me 4. The particles passing 1 thank the image rep previous question, at previous question, at interacted with as his rinteracted with as his rinteracted with as his frequested to assum 6. Respresents particles de 7. Gamma particles de 8. Read out of a pixel a	ing area of the pixel detector and the	U	c	>	The image shows what particles the pixel detective picked up. The dark spot means that no particles where in this area, while the other colours show particles and their path. Each line is a separate particle and its projection on the zaren shows a part of its injection. The colour of the particle corresponds to the energy, which is shown on the zace below, lighter energy particles are represented by lighter colour. The detector only measures changed particles.	٥	a	>
The particles possing Think the image rep Think the image rep Think the image rep Think the image rep Think the image repeated Think the image represents particles of Second out of a pixel Second out of a	different particles measured using a pixel software	0	0	>		Q	p(c?)	*
I think the image rep previous question, or previous question, or interacted with as this interacted that I assum & Reepresents particles of Camma particles of Read out of a tivel or		U	U	>	The calored lines and dots represent the tracks of the particles on the surface of the detector. The colors of the tracks represent the amout of energy of the particles	٥	٥	>
6 Reepresents particles 7 Gamma particles de 8 Read out of a pixell a	picture taken mentioned in the see active pixels that light has pots. White correlates to a higher	U	U	>	nsent	٥	U	z
7 Gamma particles de 8 Read out of a pixel a	Reepresents particles coming from a source of radiation.	-80	U	z	The mare particles arrive the Engitter the dots are, the position of the dots is where particles arrive on the detector.	٥	U	>-
8 Read out of a pixel a	Gamma particles detected by a pixel detector.	-80	0	z	Bright light could refer to emitted gamma particles.	9	3	z
		J	U	>	licke with higher energy loss (more ionizing) which could indicate its size	٥	٥	z
9 image taken from a detector		0	3	*	One can see that this image describe a ching pe particles moving throw a detectior, the charge particles with a partition of the control of	Q	q	>
10 Particle tracks.		40	Q	Z	Perhaps the straight lines are tracks and the spots are incoming particles (head-on)	c	٥	>
11 galaxies		٧	*	>		*	٧	>
12 Number of particles	Number of particles going through each area of the detector	٥	o	>	The X and Y axis goes from 0 to 236, which would be the size of the pixeldefector. Then the bar at the bottom shows probably the number of defections at each spot.	c	8	z
I think this is the image produced by a p the glows left by high energy particles a 3 hole pair from a semiconductor crystal	ited detector which shows they take oif electron-	U	٥	z	The image shows a number of bright spots on a dark background. I befeve this image is produced as a result of high energy particles breaking of electron-hole pairs from the pole semiconductor crystal, some of the spots are brighten spots may indicate the particles with higher amount of energy compared to those that produce the text bright spots. To those that produce the text bright spots. Some of the spots are of a larger diameter than others, these spots were actually hit by a large cluster of particles rather than others, these spots were octually hit by a large cluster of particles and the broke single particle.	٥	٥	>-
14 the area of particle's detector		U	A (could also be C)	>		×	U	z
15 the meteorite		×	· <	*	-	×	<	>
16 particles		10	0	z	y axis: 256-1, x axis: column number and a colour parameter	٨	-60	z
17 256x256 pixels of the detector		U	U	>		U	٥	z
18 Iracis of different types of particles.	pes of particles.	Q	Q		The lang and narrow ones are electrons, muons, the short and wide ones are protons.	Q	O	z
		Total numbe	Total number of statements			Total number	Total number of statements	18
		Compli	Compliant coding	13		Complia	Compliant coding	6
		Relative	Relative compliance	0,72		Relative	Relative compliance	0,50

1 Whent is relationd on the X-arvie?	Colectory	caregory_mre	Complence	When it reletted on the Variety	Cohectory	-caregory_miles	Compliance
I wild is profess on the A-data	Constant	ian in	Companie	4. What is promed on the T-date:	Considery	ialou	Compilation
The column number of the pixel in the detector	80	80		The row number of the pixel in the detector	80	80	>
The horzontal location of the particle.	8	80		The vertical location of the particle.	89	8	,
a specium recessorina different enerar levels	*		,	position (where the particle was spotted)	as	as	,
of the detected particle)	80	-		s of the detected particle.	80	80	
				Γ			
the x coordinate of the particle	aú aú	-80		the y coordinate of the particle	aŭ.	aŭ.	·
	80	<	z		80	<	z
Dimension like lengh!	٧	٧		Dimension like hight	٧	٧	*
pionel	80	*	z	picel	83	×	z
	W	W			W	W	>
Position in detection.	80	80		Pozition in detector.	80	×	z
	×	×			×	W	>-
X axis of the pixels	80	80		Y axis of the pixels	80	8	>
Displacement on the harizontal direction	80	80	×	Displacement in the orthogonal direction to the x	80	80	>
	<	<		of radiation	<	80	z
column number	80	×	z		V	٧	>
column number	80	×	z	the location of the particles	<	80	z
	4						,
The ratio of the place in X	Ī	< <	zz	The ratio of the place in Y.	Ī	u 4	- Z
	Total number of statements	of statements	90		Total number	of statements	18
	Compliant coding	t coding	12		Compliant coding	t coding	12
	Relative compliance	mpliance	0,67		Relative compliance	mpliance	0,67

3. What does the colour scale at the bottom of the image represent?	Category	rater mater	Compliance	THIS BITIOGRESHIONS HER SELECTION OF OTHER SOURCE WHIT OF POST DESCRIPTION OF TAKETHAL SOURCE. IT REPRESENTS PORTICLES ON SOME OF THEIR SOURCE OF THEIR STORES. WHAT CAN YOU SELECTED FOR THE PARTICLE?	Category	caregory_mre rrater	Compliance
finerov of the confide the detector detected	U	U	,	fou can tell which direction it moved and how much energy it had	ú	ú	·
				There is one particle in the top right that is particularly large and bright. This means it was a high energy particle. There are some lower energy particles, with small transcriouss in the middle. However, we can't really right much obout the			
The particle's energy.	U	c	>		c	a	z
different energy levels as well as the amount of particles (the mare the particles, the lighter the color)	U	U	>	from this image, I can guess that the lighter colored dots represent the alpha particle, however, different particles can also be present leg beta, garrran, efections, etc.)	۵	o	z
The amount of energy of the detected particles	U	U	>-	-	0	a	*
lhei energy	J	U	*	the one to the right at the centre has a higher energy than the others, while we can also see several more straight tracts that may be formed from charged particles coming in an askew.	J	c	>
The energy of particles which arrive.	U	U	>	One particle was coming from aside	80	U	z
Scale showing the intensity of the particles.	ක	Ü	z	One can see the intensity of the particle.	×	Ü	z
the number of particle	<	<	>-	it trajectory (into or along the detector)	80	Ü	z
	×	W	> -	Momentum, charge, energy	U	U	*
Internity.	80	U	z	Victoria 11	0	0	*
	×	×	>		W	W	>
Density of particles	*	*	>	The brighter one must be more energefic or bigger, or simply there must be a higher number	Ü	υ	*
It is the wavelength or frequency scale to which the brightness of the spots			,	- 18	4		3
can be compared.			. ,	regions with more take or violet coold indicate particles with righter energy content and mode which die region.			. 2
	× ×	W			×	3 ×	
	V	M	z	the energy and the location in the space	C	80	z
Internally of the signal	40	<	z	particle as it passed through the detector. The brighter spots	U	J	>-
The number of the tracks.	<	<	×	The number of them, the weight and the charge of them.	Ü	~	z
	Total number	Total number of statements	18		Total number	Total number of statements	18
	Complia	Compliant coding	14		Compliant coding	Compliant coding	0 20
	Keldine	omplique	3		Keldlive CC	omplique	Pris i

now do nite paincies which his defector chip differ	Category	coregory_mme mater	Compliance	now many paracres mine detector chip?	Category	Coregory_me maker	Compliance
They have varying energies and move in different directions. Some affect smaller areas of the detector than others.	×	0	z	About 12	c	٧	z
They are traveling in different directions and have different energies and sizes.	×	0	z	71	3	*	z
particles vary from one another	×	U	z	the number is random; if changes every time, there can be no certain answer.	×	٥	z
They have different energies and different tracks.	D	c	z	126	c	٧	Z
They differ in energy, mostly.	J	J	<i>></i>	12 or 13, depending on whether you count one of the linear tracks as one or two particles	2	J	>
They differ from the energy	c	c .	*	12 C	5	٧	Z
Location, size, intensity	40	u	z	12	u	٧	z
its size, trajectory, type of interaction	-0	U	z	13 C	u	<	z
the the particles that hit the detector ship they will be detected and they will lase thier energy.	*	U	z	owt	*	*	>
Some are lighter and move faster (i.e. langer tracks), others are more massive and slower (brigher spots)	٥	U	z	count about 13.	c	*	z
	×	z	z	,	м	M	>
Some are bigger, some are smaller	-80	c	z	13	c	٧	Z
They differ in their mass, energy, content and the number of particles in each duster	Ü	v	·	Can't be counted	*	*	>
it can be seen by how they move after hit the detector			,	*			>
size, bightness				12	, u	×	·z
from energy and position in the space	×	×		13	c	٧	z
finerur and noth	*	U	z	961		4	z
Because they have different energies and mass.				120	u	· ·	z
	Total number of statements	of statements	18		Total number of statements	of statements	18
	Compliant coding	t coding	7		Compliant coding	it coding	5 5
	Relative compliance	mpliance	0,39		Relative compliance	mpliance	0,28
				Total relative compliance	compliance		0,57